



4329.0

## **Information Paper**

# **Mental Health and Wellbeing of Adults, Australia**

## **Confidentialised Unit Record File**

**1997**



New  
Issue

**Information Paper**

**Mental Health and Wellbeing  
of Adults, Australia**

**Confidentialised Unit  
Record File**

**1997**

**W. McLennan  
Australian Statistician**

AUSTRALIAN BUREAU OF STATISTICS

EMBARGO: 11:30AM (CANBERRA TIME) FRI 7 AUG 1998

ABS Catalogue No. 4329.0

ISBN 0 642 25743 4

© Commonwealth of Australia 1998

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without permission from AusInfo. Requests and inquiries concerning reproduction and rights should be addressed to the Manager, Legislative Services, AusInfo, GPO Box 84, Canberra ACT 2601.

In all cases the ABS must be acknowledged as the source when reproducing or quoting any part of an ABS publication or other product.

Produced by the Australian Bureau of Statistics

## INQUIRIES

- For further information about these and related statistics, contact Gary Sutton on Canberra 02 6252 7318 or 1800 060 050, or any ABS office shown on the back cover of this publication.

# CONTENTS .....

	Page
List of abbreviations .....	iv
Overview	
Introduction .....	1
About the survey .....	1
About the microdata .....	2
About the file .....	3
Conditions of release .....	4
Prices .....	4
How to order .....	5
Further information .....	5
Data item	
Contents .....	6
Listing .....	8
Aggregated variables .....	42
Conditions of sale .....	50
Legislative authority .....	53
Order form .....	55
The undertaking .....	57

## LIST OF ABBREVIATIONS .....

ABS	Australian Bureau of Statistics
BDQ	Brief Disability Questionnaire
CIDI	Composite International Diagnostic Interview
CURF	Confidentialised unit record file
DSM-IV	Diagnostic and Statistical Manual of Mental Disorders—fourth edition
EPQ	Eysenck Personality Questionnaire
GAD	Generalised anxiety disorder
GHQ-12	General Health Questionnaire-12 item scale
HFS	Commonwealth Department of Health and Family Services
ICD-10	International Classification of Diseases—10th revision
MMSE	Mini-Mental State Examination
MOS	Medical Outcomes Study
OCD	Obsessive-compulsive disorder
PTSD	Post-traumatic stress disorder
SEIFA	Socio-Economic Indexes For Areas
SF-12	Short Form-12
SMHWB	1997 National Survey of Mental Health and Wellbeing of Adults
The WHO Centre	The World Health Organization Training and Reference Centre for CIDI in Australia
WHO	World Health Organization

## OVERVIEW .....

### INTRODUCTION

This publication provides information about the release of microdata from the 1997 National Survey of Mental Health and Wellbeing of Adults (SMHWB). The data are released as a confidentialised unit record file (CURF) on CD-ROM under the conditions set out in this publication and subject to the approval of the Australian Statistician.

The CURF will enable purchasers to tabulate, manipulate and analyse data to their own specifications. More detailed information to assist in using the CURF and interpreting the data will be provided in a technical paper which will accompany the file.

### ABOUT THE SURVEY

The 1997 SMHWB is a comprehensive survey of Australian adults' mental health. The survey was an initiative of, and funded by, the Commonwealth Department of Health and Family Services (HFS) as part of the National Mental Health Strategy.

The survey provides detailed information about the prevalence of a range of major mental disorders, the level of disability associated with these disorders, and health services used and help needed as a consequence of a mental health problem for Australians aged 18 years or more.

The survey was conducted throughout Australia from May to August 1997 under the authority of the *Census and Statistics Act 1905*, on a voluntary basis.

The SMHWB consisted of a representative sample of residents of private dwellings (houses, flats, etc.) in all States and Territories. The sample excluded special dwellings (such as hospitals, institutions, nursing homes, hotels, hostels, etc.), and dwellings in remote and sparsely settled parts of Australia.

The survey also excluded persons from overseas holidaying in Australia, members of non-Australian defence forces and their dependants stationed in Australia, and households containing non-Australian diplomatic personnel.

Trained Australian Bureau of Statistics (ABS) interviewers approached approximately 13,600 dwellings. One person aged 18 years or over from each dwelling was randomly chosen to participate in the survey. Personal interviews were conducted with 10,641 persons, representing a response rate of 78%.

Detailed information about the survey is contained in the forthcoming publication *National Survey of Mental Health and Wellbeing of Adults: Users' Guide, 1997* (Cat. no. 4327.0). An overview of survey results is contained in *Mental Health and Wellbeing: Profile of Adults, Australia, 1997* (Cat. no. 4326.0).

In addition to these publications and the CURF, an extensive range of other unpublished data is available from the ABS on request.



## ABOUT THE MICRODATA

The 1997 SMHWB CURF contains 10,641 confidentialised respondent records from the survey. Each record contains demographic, socio-economic and geographic indicators, along with a comprehensive set of responses to the Composite International Diagnostic Interview (CIDI) and questions on disability and health service usage. The CIDI also provides a diagnosis of selected mental disorders in accordance with the International Classification of Diseases—10th revision (ICD-10), and the Diagnostic and Statistical Manual of Mental Disorders—4th revision (DSM-IV).

### Composite International Diagnostic Interview

Measuring mental health in the community through household surveys is a complex task as mental disorder is usually determined through clinical diagnoses. For the SMHWB the diagnostic component of the interview was administered through a modified version of the CIDI. This is a comprehensive interview for adults which can be used to assess current and lifetime prevalence of mental disorders through the measurement of symptoms and their impact on day-to-day activities.

The questions in the CIDI are written to represent the criteria for a subset of mental disorders defined by the ICD-10. A small number of additional questions are included so that criteria of the DSM-IV can be identified.

As part of the CIDI, probe questions are asked when a respondent is identified as having a symptom. These questions are designed to identify severity or clinical significance, whether the symptom was always caused by drugs, medicines, alcohol, physical illness or injury, or whether the symptom was due to mental disorder. Responses to the questions are put together by computer algorithms, first to assess each criterion, and then to combine criteria into diagnoses. Further details on the criteria for mental disorder diagnosis are contained in the forthcoming survey user guide.

The World Health Organization (WHO) Training and Reference Centre for CIDI (The WHO Centre) in Australia, contracted by HFS, developed a computerised version of the CIDI, including diagnostic algorithms, for the SMHWB.

### Data interpretation

The survey instrument also incorporates additional CIDI modules which provide a set of screening questions for other mental disorders such as personality disorders. These modules provide an indication of whether a disorder may be present. However, they do not collect sufficient information to determine whether the criteria for a diagnosis of a mental disorder by the CIDI are met. As a diagnosis for these mental disorders is not made, the overall prevalence rates of mental disorder presented in the SMHWB may underestimate the extent of mental disorder in Australia.

The CIDI is a structured interview for diagnosis of mental disorder for research purposes. The CIDI can inform a clinician's diagnosis but not replace it. Estimates of mental disorders presented in the SMHWB are not clinical diagnoses and are therefore dependent on the accuracy of diagnosis based on survey data.

The questions used in this survey to collect data on labour force status and educational qualifications differ from those used in other ABS surveys. As such, these data items provide an indication of an individual's status and, though not directly comparable with other ABS surveys, they are sufficient to associate with mental health status.





## Confidentialising the File

These data are released under the *Census and Statistics Act 1905*, which enables release of data in the form of unit records where the information is not likely to enable the identification of a particular person or organisation. Accordingly, there are no names or addresses of survey respondents on the CURF and some other steps have been taken to protect confidentiality, such as omitting selected data items collected in the survey and reducing the detail of other data items. As a result, it may not be possible to exactly reconcile some tabular/aggregated data produced from the CURF with data published by the ABS.

A list of all the data items on the SMHWP data file is provided in this publication (pp. 6–41), and data items for which the level of detail has been reduced are also included (pp. 42–49). In addition to the data item list, CURF users should obtain a copy of the survey questionnaire. This questionnaire was developed by The WHO Centre and is available from HFS. Please contact:

Director  
 Quality and Effectiveness Section  
 Mental Health Branch (MDP 37)  
 Commonwealth Department of Health and Family Services  
 PO Box 9848  
 CANBERRA ACT 2601

## ABOUT THE FILE

The 1997 SMHWP CURF is available on CD-ROM. If another computer readable medium is required, this can be discussed with the contact officer.

The services of a computer programmer may be required to reformat the data for some analysis software. However, the SMHWP CURF will contain a program to generate an input statement to facilitate this for SAS users. Complete input programs are available for SAS and SPSS on request. These include descriptive as well as structural metadata.

There are six files which specifically relate to the SMHWP data:

- MHSD1URT.DAT is a column delimited ASCII text file containing the survey data.
- MHSD1DOC.TXT contains documentation on MHSD1URT.DAT. It includes data item labels, field start positions and lengths, code values and category labels. To assist users in analysis, the file also contains weighted and unweighted frequencies of each code value. It can be opened for reading or printing, using most word processors, as an ASCII text file.
- MHSD1DOC.FMT contains the same data as MHSD1DOC.TXT but in a rigid format which can be read by a computer program. If the purchaser has access to SAS, this file can be used in conjunction with MHS95INP.SAS (see next point) to generate a SAS input program for the SMHWP data file.
- MHS95INP.SAS contains a SAS program which reads MHSD1DOC.FMT and generates a file which can be pasted into a SAS program to allow it to read in the corresponding data file.

ABOUT THE FILE *continued*

- COPYRIGHT.TXT contains the ABS copyright warning notice. This is a simple statement that the copyright to the 1997 SMHWP CURF data is held by the ABS. The consequences of copyright ownership are to be considered an additional constraint and in no way limit the Conditions of Sale.
- README.TXT contains a brief description of each of the files listed above.

## CONDITIONS OF RELEASE

The 1997 SMHWP CURF is released under strict Conditions of Sale (pp. 50–52) — this should be read carefully before placing an order for the file. In addition, the Australian Statistician's approval is required for each release.

The 1997 SMHWP CURF is released in accordance with a Ministerial Determination (Clause 7, Statutory Rules 1983, No. 19) (pp. 53–54) made in pursuance of Section 13 of the *Census and Statistics Act 1905*. As required by the Determination, the CURF has been designed so that the information on the file is not likely to enable the identification of the particular persons to whom it relates.

In pursuance of Clause 7, the Determination requires the purchaser of the file to undertake that, in using the information in the form of individual statistical records, the purchaser will:

- not attempt to identify particular persons or organisations;
- not attempt to match the information with administrative lists of persons or organisations;
- use the information only for statistical purposes; and
- not disclose the information to any other person or organisation.

The 1997 SMHWP CURF can only be used for statistical purposes. Examples of statistical purposes are:

- the manipulation of the data to produce means, correlations or other descriptive or summary measures;
- the estimation of population characteristics from sample data;
- the use of data as input to mathematical models or for other types of analysis (e.g. factor analysis); and
- to provide graphical or pictorial representations of the characteristics of the population or subsets of the population.

Use of the data for unauthorised purposes may render the user liable to severe penalties (see p. 51). Advice about the propriety of any particular intended use of the data is available from the Director, Health Section, telephone Canberra 02 6252 7995.

Under no circumstances can data in the form of unit records be made available to persons or organisations other than those covered by the Undertaking, without the written authority of the Australian Statistician.

While the utmost care is taken in preparing and handling each CURF, deterioration may occur between the time of copying and receipt of the file. Accordingly, if the file is unreadable on receipt and this is reported to the ABS within 30 days of receipt, it will be replaced free of charge. As an added precaution, a security copy (backup) of the file should be made on receipt.

## PRICE

The price for the 1997 SMHWB CURF, as at July 1998, is \$7,500, including freight and handling charges.

## HOW TO ORDER

To submit your order, please take a copy of and complete the Order Form (pp. 55–56), sign The Undertaking (pp. 57–58) and forward these to the Director, Health Section, at the address shown below. The ABS cannot process your order unless a fully completed Order Form and signed Undertaking have been received.

For purchases of this file by government and other organisations, the Undertaking must be signed by someone who has the legal authority to sign on behalf of that organisation, taking account of all users and usages of the file, both current and future.

It is suggested that a copy of the completed Order Form and signed Undertaking is retained by your organisation.

The ABS will invoice you once the Statistician has approved the release of the microdata to you, and the CURF will be despatched within seven working days of receipt of payment.

Please forward your order to:

Director  
Health Section (W31c)  
Australian Bureau of Statistics  
PO Box 10  
BELCONNEN ACT 2616

## FURTHER INFORMATION

If you have any queries about this service, please contact Gary Sutton on Canberra 02 6252 7318, email [gary.sutton@abs.gov.au](mailto:gary.sutton@abs.gov.au), or facsimile on Canberra 02 6252 8007.

## DATA ITEM LISTING .....

Page

### CONTENTS

#### Identifying items

Random identifier ..... 8

#### Geographic items

Geographic items ..... 8

#### Demographics

Person description ..... 8

Language ..... 8

Education ..... 8

Labour force ..... 8

Income ..... 8

Dwelling details ..... 9

Household description ..... 9

#### General measures of mental health and wellbeing

Short Form–12 (SF–12) ..... 9

Short Form–12 —service utilisation and days out of role ..... 9

Eysenck Personality Questionnaire (EPQ) ..... 9

Kessler Psychological Distress Scale ..... 10

Delighted–terrible Scale ..... 10

#### Physical conditions

Physical conditions ..... 10

Physical conditions—service utilisation and days out of role ..... 10

#### Neurasthenia

Neurasthenia ..... 10

Neurasthenia—service utilisation and days out of role ..... 11

Smoking ..... 11

#### Anxiety disorders

Social phobia ..... 12

Agoraphobia ..... 13

Panic disorder ..... 14

Generalised anxiety disorder ..... 14

Anxiety—service utilisation and days out of role ..... 15

#### Depressive disorders

Depression—all episodes ..... 15

Depression—main episode ..... 17

Dysthymia ..... 18

Depressive disorders—service utilisation and days out of role ..... 18

Suicide ..... 18

#### Manic and bipolar affective disorders

Mania—all episodes ..... 19

Mania—main episode ..... 19

Mania—service utilisation and days out of role ..... 20

	Page
Psychosis screener	
Psychosis screener . . . . .	20
Disorders resulting from use of alcohol	
Alcohol use . . . . .	20
Alcohol—harmful use . . . . .	21
Alcohol—dependence . . . . .	21
Alcohol—service utilisation and days out of role . . . . .	22
Obsessive–compulsive disorder	
Obsessive–compulsive disorder . . . . .	22
Obsessive–compulsive disorder—service utilisation and days out of role . . . . .	23
Post–traumatic stress disorder	
Post–traumatic stress disorder . . . . .	23
Post–traumatic stress disorder—service utilisation and days out of role . . . . .	24
Substance–related disorders	
Amount and type of drug use . . . . .	24
Drugs—harmful use . . . . .	25
Harmful use— cause of any problem . . . . .	25
Drugs—dependence . . . . .	26
Dependence—cause of emotional and physical problems . . . . .	27
Drugs—service utilisation and days out of role . . . . .	27
Organic mental disorders	
Mini–Mental State Examination . . . . .	28
Personality disorder screener	
Personality disorder screener . . . . .	29
Personality—service utilisation and days out of role . . . . .	31
Disability	
Brief Disability Questionnaire . . . . .	31
Health service utilisation and perceived health needs	
Hospital admissions . . . . .	32
Health professional consultations . . . . .	32
Perceived need for help . . . . .	33
General Health Questionnaire–12 item scale (GHQ–12)	
General Health Questionnaire . . . . .	35
Likely diagnosis of mental health problem	
Likely diagnosis of mental health problem . . . . .	35
CIDI mental disorder diagnosis	
ICD–10 classification of mental and behaviour disorders . . . . .	35
DSM–IV classification of mental disorders . . . . .	39
Other scored information	
Other scored information . . . . .	41
Weights	
Weights . . . . .	41

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>IDENTIFYING ITEMS</b>		
Random identifier	RANDOMID	0-99999999
<b>GEOGRAPHIC ITEMS</b>		
SEIFA—index of relative socio-economic disadvantage	DLOWSA	1-8,10
Rural remote and metropolitan classification of area	URBANRU	1-3
<b>DEMOGRAPHICS</b>		
Person description		
Sex	A1	1-2
Age	A2	1-18
Country of birth	A3_1	1-3
Year of arrival	A4	0-5
Number times married/defacto	A15	0-5
Marital status	A15A	1-6
Number children	A15B	0-6
Age when only child born	A15C	0-19
Age when eldest child born	A15D	0-19
Age when youngest child born	A15E	0-19
Language		
Usual language spoken at home	A5A	1-2
Education		
Attending school	A6	0-1,5
Finished secondary school	A8	0-1,5
Completed educational qualification	A9	0-1,5
Currently studying	A14	0-1,5
Full or part-time study	A14A	0-2
Highest qualification	HQUALDRV	0,3-9
Labour force		
Ever worked	A16	0-1,5
Ever worked without pay	A16A	0-1,5
Work last week	A17	0,1,5
Work without pay last week	A17A	0-1,5
Work absence last week	A18	0-1,5
More one job last week	A19	0-1,5
Usual hours worked per week—all jobs	A23	0-8
Occupation	OCCUPAT3	0-9
Labour force status	MHSLFST	1-5
Length of unemployment	UNEMPLOY	0-6
Income		
Sources of income	A29	1,5
Main source of income	A30	0-8

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Dwelling details		
Tenure type	TENURE1	1-4
Household description		
Household type expanded	HOUTYPE	1-10
Number of persons in household	NUMPERS	1-8
Number of children in household	KIDTO17	0-5
Number of elderly in household	OVER64	0-4
Number of males in household	MALEHH	0-5
Number of females in household	FEMALEHH	0-5
<b>GENERAL MEASURES OF MENTAL HEALTH AND WELLBEING</b>		
Short Form-12 (SF-12)		
SF-12 : general health assessment	B1	1-5
SF-12 : moderate activity	B2	1-3
SF-12 : climb stairs	B3	1-3
SF-12 : accomplished less because of physical health	B4	1,5
SF-12 : limited because of physical health	B5	1,5
SF-12 : accomplished less because of emotional problems	B6	1,5
SF-12 : less careful because of emotional problems	B7	1,5
SF-12 : pain interfered with normal activities	B8	1-5
SF-12 : calm and peaceful	B9	1-6
SF-12 : lots of energy	B10	1-6
SF-12 : felt down	B11	1-6
SF-12 : how much time problems interfered with activities	B12	1-6
SF-12—service utilisation and days out of role		
SF-12 : doctor consultations	B13	0-10
SF-12 : total days out of role	B14	0-11
SF-12 : partial days out of role	B15	0-11
Eysenck Personality Questionnaire (EPQ)		
EPQ : mood up or down	B16	1,5
EPQ : miserable	B17	1,5
EPQ : irritable	B18	1,5
EPQ : feelings hurt	B19	1,5
EPQ : fed up	B20	1,5
EPQ : nervous person	B21	1,5
EPQ : worrier	B22	1,5
EPQ : highly strung	B23	1,5
EPQ : worry too long	B24	1,5
EPQ : nerves	B25	1,5
EPQ : lonely	B26	1,5
EPQ : guilt	B27	1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Kessler Psychological Distress Scale		
Kessler : tired for no reason	B28	1-5
Kessler : nervous	B29	1-5
Kessler : so nervous can not calm down	B30	0-5
Kessler : hopeless	B31	1-5
Kessler : restless	B32	1-5
Kessler : so restless can not sit still	B33	0-5
Kessler : depressed	B34	1-5
Kessler : everything effort	B35	1-5
Kessler : so sad can not cheer up	B36	1-5
Kessler : worthless	B37	1-5
Delighted-terrible Scale		
Delighted-terrible : feel about life as a whole	B40	1-7

**PHYSICAL CONDITIONS**

Physical conditions

Physical : any listed medical conditions	C1	1,5
Physical : asthma	C1A	0-1,5
Physical : bronchitis	C2	0-1,5
Physical : anaemia	C3	0-1,5
Physical : blood pressure	C4	0-1,5
Physical : heart trouble	C5	0-1,5
Physical : arthritis	C6	0-1,5
Physical : kidney disease	C7	0-1,5
Physical : diabetes	C8	0-1,5
Physical : cancer	C9	0-1,5
Physical : stomach or duodenal ulcer	C10	0-1,5
Physical : liver or gallbladder trouble	C11	0-1,5
Physical : hernia or rupture	C12	0-1,5

Physical conditions—service utilisation and days out of role

Physical : doctor consultations	C13	0-11
Physical : total days out of role	C14	0-11
Physical : partial days out of role	C15	0-11

**NEURASTHENIA**

Neurasthenia

Neurasthenia : everyday physical tasks	C16	1-5
Neurasthenia : physical tasks—doctor	C16_MD	0-5
Neurasthenia : physical tasks—result using medication	C16_OTH3	0-1,5
Neurasthenia : physical tasks—result physical injury	C16_OTH4	0-1,5
Neurasthenia : everyday mental tasks	C17	1-5
Neurasthenia : mental tasks—doctor	C17_MD	0-5
Neurasthenia : mental tasks—result using medication	C17_OTH3	0-1,5
Neurasthenia : mental tasks—result physical injury	C17_OTH4	0-1,5
Neurasthenia : difficult to recover even when rested	C18	0-1,5



DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Neurasthenia continued</i>		
Neurasthenia : tired all the time for three months or more	C19	0-1,5
Neurasthenia : tired all the time during this year	C19A	0-1,5
Neurasthenia : headaches—clinical significance	C20	0-5
Neurasthenia : headaches—doctor diagnosis	C20_MD	0-5
Neurasthenia : headaches—result using medication	C20_OTH3	0-1,5
Neurasthenia : headaches—result physical injury	C20_OTH4	0-1,5
Neurasthenia : wake unrefreshed—clinical significance	C21	0-5
Neurasthenia : wake unrefreshed—doctor diagnosis	C21_MD	0-5
Neurasthenia : wake unrefreshed—result using medication	C21_OTH3	0-1,5
Neurasthenia : wake unrefreshed—result physical injury	C21_OTH4	0-1,5
Neurasthenia : muscle pain—clinical significance	C22	0-5
Neurasthenia : muscle pain—doctor diagnosis	C22_MD	0-5
Neurasthenia : muscle pain—result using medication	C22_OTH3	0-1,5
Neurasthenia : muscle pain—result physical injury	C22_OTH4	0-1,5
Neurasthenia : dizziness—clinical significance	C23	0-5
Neurasthenia : dizziness—doctor diagnosis	C23_MD	0-5
Neurasthenia : dizziness—result using medication	C23_OTH3	0-1,5
Neurasthenia : dizziness—result physical injury	C23_OTH4	0-1,5
Neurasthenia : unable relax—clinical significance	C24	0-5
Neurasthenia : unable relax—doctor diagnosis	C24_MD	0-5
Neurasthenia : unable relax—result using medication	C24_OTH3	0-1,5
Neurasthenia : unable relax—result physical injury	C24_OTH4	0-1,5
Neurasthenia : impatient—clinical significance	C25	0-5
Neurasthenia : impatient—doctor diagnosis	C25_MD	0-5
Neurasthenia : impatient—result using medication	C25_OTH3	0-1,5
Neurasthenia : impatient—result physical injury	C25_OTH4	0-1,5
Neurasthenia : onset	C26_ONS	0-6
Neurasthenia : recency	C26_REC	0-6
Neurasthenia—service utilisation and days out of role		
Neurasthenia : doctor consultations	C27	0-10
Neurasthenia : total days out of role	C28	0-11
Neurasthenia : partial days out of role	C29	0-11
Smoking		
Smoking : currently	C30	1,5
Smoking : regularly smoke	C31	0-1,5
Smoking : ever smoked regularly	C32	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>ANXIETY DISORDERS</b>		
Social phobia		
Social : fear of situations	D33	1,5
Social : eat or drink	D33A_1	0-1,5
Social : talk to people	D33A_2	0-1,5
Social : writing	D33A_3	0-1,5
Social : speak at meeting	D33A_4	0-1,5
Social : party	D33A_5	0-1,5
Social : speech in public	D33A_6	0-1,5
Social : other	D33A_7	0-1,5
Social : avoided situations	D34	0-1,5
Social : avoid eat drink	D34A_1	0-1,5
Social : avoid talk people	D34A_2	0-1,5
Social : avoid writing	D34A_3	0-1,5
Social : avoid speak at meeting	D34A_4	0-1,5
Social : avoid party	D34A_5	0-1,5
Social : avoid speech in public	D34A_6	0-1,5
Social : avoid other	D34A_7	0-1,5
Social : clinical significance	D35	0,2-5
Social : doctor diagnosis	D35_MD	0-5
Social : result using medication	D35_OTH3	0-1,5
Social : result physical injury	D35_OTH4	0-1,5
Social : show anxiety	D36	0-1,5
Social : excessive fear	D37	0-1,5
Social : unreasonable fear	D37A	0-1,5
Social : upset with self	D37B	0-1,5
Social : interfere with normal activities	D38	0-1,5
Social : upset when in situation	D39	0-1,5
Social : blush shake	D40_1	0-1,5
Social : nausea	D40_2	0-1,5
Social : lose bladder or bowel control	D40_3	0-1,5
Social : heart race	D40A_1	0-1,5
Social : sweat	D40A_2	0-1,5
Social : tremble	D40A_3	0-1,5
Social : dry mouth	D40A_4	0-1,5
Social : short breath	D40A_5	0-1,5
Social : choking	D40A_6	0-1,5
Social : chest pain	D40A_7	0-1,5
Social : dizzy	D40A_8	0-1,5
Social : things unreal	D40A_9	0-1,5
Social : lose control or pass out	D40A_10	0-1,5
Social : might die	D40A_11	0-1,5
Social : chills or flushes	D40A_12	0-1,5
Social : numbness	D40A_13	0-1,5
Social : onset	D41_ONS	0-6
Social : recency	D41_REC	0-6
Social : fear present when situation encountered	D42	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Agoraphobia		
Agoraphobia : fear of situations	D43	0-1,5
Agoraphobia : outside home	D43A_1	0-1,5
Agoraphobia : travelling by bus, train or car	D43A_2	0-1,5
Agoraphobia : in crowd	D43A_3	0-1,5
Agoraphobia : public place	D43A_4	0-1,5
Agoraphobia : avoided situations	D44	0-1,5
Agoraphobia : avoid outside home	D44A_1	0-1,5
Agoraphobia : avoid travelling	D44A_2	0-1,5
Agoraphobia : avoid crowd	D44A_3	0-1,5
Agoraphobia : avoid public place	D44A_4	0-1,5
Agoraphobia : not remain alone	D45	0-1,5
Agoraphobia : stay with someone	D45A	0-1,5
Agoraphobia : clinical significance	D46	0,2-5
Agoraphobia : doctor diagnosis	D46_MD	0-5
Agoraphobia : doctor—result using medication	D46_OTH3	0-1,5
Agoraphobia : doctor—result physical injury	D46_OTH4	0-1,5
Agoraphobia : upset when in situations	D47	0-1,5
Agoraphobia : heart race	D48_1	0-1,5
Agoraphobia : sweat	D48_2	0-1,5
Agoraphobia : tremble	D48_3	0-1,5
Agoraphobia : dry mouth	D48_4	0-1,5
Agoraphobia : short breath	D48_5	0-1,5
Agoraphobia : choking	D48_6	0-1,5
Agoraphobia : chest pain	D48_7	0-1,5
Agoraphobia : nausea	D48_8	0-1,5
Agoraphobia : dizzy	D48_9	0-1,5
Agoraphobia : things unreal	D48_10	0-1,5
Agoraphobia : lose control or pass out	D48_11	0-1,5
Agoraphobia : might die	D48_12	0-1,5
Agoraphobia : chills or flushes	D48_13	0-1,5
Agoraphobia : numbness	D48_14	0-1,5
Agoraphobia : unable to escape	D49	0-1,5
Agoraphobia : unable to get help	D50	0-1,5
Agoraphobia : excessive fear	D51	0-1,5
Agoraphobia : unreasonable fear	D51A	0-1,5
Agoraphobia : upset with self	D51B	0-1,5
Agoraphobia : onset	D52_ONS	0-6
Agoraphobia : recency	D52_REC	0-6
Agoraphobia : fear present when situation encountered	D53	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Panic disorder		
Panic : ever had an attack	D54	1,5
Panic : attack in life threatening situation	D55	0-1,5
Panic : attack not in life threatening situation	D55A	0-1,5
Panic : more than one attack	D56	0-1,5
Panic : heart race	D57_1	0-1,5
Panic : sweat	D57_2	0-1,5
Panic : tremble	D57_3	0-1,5
Panic : short breath	D57_4	0-1,5
Panic : choking	D57_5	0-1,5
Panic : chest pain	D57_6	0-1,5
Panic : nausea	D57_7	0-1,5
Panic : dizzy	D57_8	0-1,5
Panic : things unreal	D57_9	0-1,5
Panic : lose control or pass out	D57_10	0-1,5
Panic : might die	D57_11	0-1,5
Panic : chills or flushes	D57_12	0-1,5
Panic : numbness	D57_13	0-1,5
Panic : dry mouth	D57_14	0-1,5
Panic : attack began suddenly and got worse	D58	0-1,5
Panic : clinical significance	D58A	0,2-5
Panic : doctor diagnosis	D58A_MD	0-5
Panic : result using medication	D58A_OT3	0-1,5
Panic : result physical injury	D58A_OT4	0-1,5
Panic : attack in the last year	D59	0-1,5
Panic : worried might have another attack	D59A	0-1,5
Panic : worry about consequences of attacks	D59B	0-1,5
Panic : change everyday activities	D59C	0-1,5
Panic : four attacks in one month	D60	0-1,5
Panic : four attacks every week	D60A	0-1,5
Panic : onset	D61_ONS	0-6
Panic : recency	D61_REC	0-6
Panic : attacks in feared situations	D62	0-1,5
Generalised anxiety disorder (GAD)		
GAD : months of worry	D63	1,5
GAD : longest period of worrying(1)	D63A	0-1,5
GAD : worry more than most people	D63B	0-1,5
GAD : longest period of worrying(2)	D63C	0-1,5
GAD : excessive fear	D64A	0-1,5
GAD : worried most days	D64B	0-1,5
GAD : difficult to stop worrying	D64C	0-1,5
GAD : worry (about weight drugs)	D64D_I	0-1,5
GAD : worry (other)	D64D_II	0-1,5
GAD : restless	D65_1	0-1,5
GAD : keyed up	D65_2	0-1,5
GAD : easily tired	D65_3	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>Generalised anxiety disorder (GAD) <i>continued</i></b>		
GAD : trouble concentrating	D65_4	0-1,5
GAD : irritable	D65_5	0-1,5
GAD : tense and aching muscles	D65_6	0-1,5
GAD : trouble sleeping	D65_7	0-1,5
GAD : heart pound	D65_8	0-1,5
GAD : sweat	D65_9	0-1,5
GAD : tremble	D65_10	0-1,5
GAD : dry mouth	D65_11	0-1,5
GAD : short of breath	D65_12	0-1,5
GAD : choking	D65_13	0-1,5
GAD : pain in chest	D65_14	0-1,5
GAD : pain in stomach	D65_15	0-1,5
GAD : nausea	D65_16	0-1,5
GAD : dizzy	D65_17	0-1,5
GAD : things unreal	D65_18	0-1,5
GAD : lose control or pass out	D65_19	0-1,5
GAD : might die	D65_20	0-1,5
GAD : chills or flushes	D65_21	0-1,5
GAD : numbness	D65_22	0-1,5
GAD : lump in throat	D65_23	0-1,5
GAD : easily startled	D65_24	0-1,5
GAD : clinical significance	D66	0,2-5
GAD : doctor diagnosis	D66_MD	0-5
GAD : result using medication	D66_OTH3	0-1,5
GAD : result physical injury	D66_OTH4	0-1,5
GAD : upset with self	D67	0-1,5
GAD : interfere with everyday activities	D68	0-1,5
GAD : onset	D69_ONS	0-6
GAD : recency	D69_REC	0-6

**Anxiety—service utilisation and days out of role**

Anxiety : doctor consultancies	D70	0-6
Anxiety : total days out of role	D71	0-11
Anxiety : partial days out of role	D72	0-11

**DEPRESSIVE DISORDERS****Depression—all episodes**

Depression : two weeks feel sad—clinical significance	E1	1,3-5
Depression : two weeks feel sad—doctor diagnosis	E1_MD	0-5
Depression : two weeks feel sad—result using medication	E1_OTH3	0-1,5
Depression : two weeks feel sad—result physical injury	E1_OTH4	0-1,5
Depression : two weeks lost interest—clinical significance	E2	1,3-5
Depression : two weeks lost interest—doctor diagnosis	E2_MD	0-5
Depression : two weeks lost interest—result using medication	E2_OTH3	0-1,5
Depression : two weeks lost interest—result physical injury	E2_OTH4	0-1,5
Depression : lack energy	E3_I	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Depression—all episodes <i>continued</i>		
Depression : less appetite	E4_I	0-1,5
Depression : lose weight	E5_I	0-1,5
Depression : weight lose pounds	E5A_ILB	0-99
Depression : weight lose kilos	E5A_IKG	0-99
Depression : larger appetite	E6_I	0-1,5
Depression : gain weight	E7_I	0-1,5
Depression : weight gain pounds	E7A_ILB	0-99
Depression : weight gain kilos	E7A_IKG	0-99
Depression : trouble sleeping	E8_I	0-1,5
Depression : wake two hours before wanted	E8A_I	0-1,5
Depression : sleeping too much	E9_I	0-1,5
Depression : talk or move slowly	E10_I	0-1,5
Depression : anyone notice slow talk and movement	E10A_I	0-1,5
Depression : move all the time	E11_I	0-1,5
Depression : anyone notice moving all the time	E11A_I	0-1,5
Depression : feel worthless	E12_I	0-1,5
Depression : feel guilty	E12A_I	0-1,5
Depression : particular reason for feeling guilty	E12B_I	0-1,5
Depression : guilty and worthless about depression	E12C_I	0-1,5
Depression : feel not good as people	E13_I	0-1,5
Depression : little self confidence	E14_I	0-1,5
Depression : trouble concentrate	E15_I	0-1,5
Depression : unable to read or watch TV	E15A_I	0-1,5
Depression : thoughts come slower	E16_I	0-1,5
Depression : unable make up mind	E17_I	0-1,5
Depression : thinking about death	E18_I	0-1,5
Depression : thought about committing suicide	E19_I	0-1,5
Depression : made a plan to commit suicide	E19A_I	0-1,5
Depression : attempted suicide (last 12 months)	E20_I	0-1,5
Depression : felt bad on awaking	E22_I	0-1,5
Depression : less interested in sex	E23_I	0-1,5
Depression : unable to enjoy good things happening	E24_I	0-1,5
Depression : clinical significance	E25	0-1,3-5
Depression : doctor diagnosis	E25_MD	0-5
Depression : result using medication	E25_OTH3	0-1,5
Depression : result physical injury	E25_OTH4	0-1,5
Depression : longest period	E26	0-52, 91-94
Depression : interfere with normal activities	E26A	0-1,5
Depression : onset	E27_ONS	0-6
Depression : recency	E27_REC	0-6
Depression : anxiety and depression at the same time	E28	0-1,5
Depression : how many periods of depression	E29	0-26
Depression : felt ok between episodes	E29A	0-1,5
Depression : able to work between episodes	E29B	0-1,5
Depression : felt ok for two months between episodes	E29C	0-1,5
Depression : number of separate episodes	E29D	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Depression—all episodes <i>continued</i>		
Depression : period after bereavement	E30	0-1,5
Depression : period not after bereavement	E30A	0-1,5
Depression : after childbirth	E30B	0-1,5
Depression : two or more separate episodes	E31_ID	0-1,5
Depression : month of most symptoms	E32	0-12
Depression : sad	E33	0-1,5
Depression—main episode		
Depression : loss of interest	E33A	0-1,5
Depression : lack energy	E3_II	0-1,5
Depression : less appetite	E4_II	0-1,5
Depression : lose weight	E5_II	0-1,5
Depression : weight loss pounds	E5A_IILB	0-99
Depression : weight loss kilos	E5A_IIKG	0-99
Depression : larger appetite	E6_II	0-1,5
Depression : gain weight	E7_II	0-1,5
Depression : weight gain pounds	E7A_IILB	0-99
Depression : weight gain kilos	E7A_IIKG	0-99
Depression : trouble sleeping	E8_II	0-1,5
Depression : wake two hours before wanted	E8A_II	0-1,5
Depression : sleeping too much	E9_II	0-1,5
Depression : talk move slowly	E10_II	0-1,5
Depression : anyone notice slow talk and movement	E10A_II	0-1,5
Depression : move all the time	E11_II	0-1,5
Depression : anyone notice moving all the time	E11A_II	0-1,5
Depression : felt worthless	E12_II	0-1,5
Depression : felt guilty	E12A_II	0-1,5
Depression : particular reason	E12B_II	0-1,5
Depression : guilty and worthless about depression	E12C_II	0-1,5
Depression : felt not good people	E13_II	0-1,5
Depression : little self confidence	E14_II	0-1,5
Depression : trouble concentrate	E15_II	0-1,5
Depression : unable to read or watch TV	E15A_II	0-1,5
Depression : thoughts slower	E16_II	0-1,5
Depression : unable make mind	E17_II	0-1,5
Depression : think about death	E18_II	0-1,5
Depression : thought about committing suicide	E19_II	0-1,5
Depression : make a plan to commit suicide	E19A_II	0-1,5
Depression : attempted suicide	E20_II	0-1,5
Depression : felt bad when awaking	E22_II	0-1,5
Depression : less interest in sex	E23_II	0-1,5
Depression : unable to enjoy good things happening	E24_II	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Dysthymia		
Dysthymia : two years feel sad most days	E34	1,5
Dysthymia : full two years—clinical significance	E34A	0-5
Dysthymia : full two years—doctors diagnosis	E34A_MD	0-5
Dysthymia : full two years—result using medication	E34A_OT3	0-1,5
Dysthymia : full two years—result physical injury	E34A_OT4	0-1,5
Dysthymia : past 12 months	E34B	0-1,5
Dysthymia : which month did feeling end	E34C	0-12
Dysthymia : trouble sleep	E35	0-1,5
Dysthymia : sleep too much	E36	0-1,5
Dysthymia : little appetite	E37	0-1,5
Dysthymia : eat much more	E38	0-1,5
Dysthymia : lack energy	E39	0-1,5
Dysthymia : not as good as others	E40	0-1,5
Dysthymia : little self confidence	E41	0-1,5
Dysthymia : trouble concentrating	E42	0-1,5
Dysthymia : unable to make up mind	E43	0-1,5
Dysthymia : often in tears	E44	0-1,5
Dysthymia : feel hopeless	E45	0-1,5
Dysthymia : could not cope with everyday life	E46	0-1,5
Dysthymia : life could not get better	E47	0-1,5
Dysthymia : no longer want to be with friends	E48	0-1,5
Dysthymia : less talkative	E49	0-1,5
Dysthymia : lose interest in most things	E50	0-1,5
Dysthymia : loss of interest in sex	E51	0-1,5
Dysthymia : clinical significance	E52	0-5
Dysthymia : doctor diagnosis	E52_MD	0-5
Dysthymia : result using medication	E52_OTH3	0-1,5
Dysthymia : result physical injury	E52_OTH4	0-1,5
Dysthymia : anxious and depressed at same time	E54	0-1,5
Depressive disorders—service utilisation and days out of role		
Depressive disorders : doctor consultancies	E55	0-6
Depressive disorders : total days out of role	E56	0-11
Depressive disorders : partial days out of role	E57	0-11
Suicide		
Suicide : ever thought about suicide	E58	0-1,5
Suicide : ever attempted suicide	E59	0-1,5
Suicide : attempted suicide in last 12 months	E59A	0-1,5



DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>MANIC AND BIPOLAR AFFECTIVE DISORDERS</b>		
Mania—all episodes		
Mania : happy or excited—clinical significance	F1	1,3-5
Mania : happy or excited—doctor diagnosis	F1_MD	0-5
Mania : happy or excited—result using medication	F1_OTH3	0-1,5
Mania : happy or excited—result physical injury	F1_OTH4	0-1,5
Mania : irritable—clinical significance	F2	0-1,3-5
Mania : irritable—doctor diagnosis	F2_MD	0-5
Mania : irritable—result using medication	F2_OTH3	0-1,5
Mania : irritable—result physical injury	F2_OTH4	0-1,5
Mania : more active	F3_I	0-1,5
Mania : unable sit still	F4_I	0-1,5
Mania : spending sprees	F5_I	0-1,5
Mania : interest in sex increased	F6_I	0-1,5
Mania : less careful sex activities	F6A_I	0-1,5
Mania : talk so fast could not be understood	F7_I	0-1,5
Mania : thoughts raced	F8_I	0-1,5
Mania : say or do embarrassing things	F9_I	0-1,5
Mania : very friendly with strangers	F10_I	0-1,5
Mania : special gift example given	F11_EX	0-1,5
Mania : special gift—plausible	F11_I	0-1,5
Mania : different person	F11A	0-1,5
Mania : has powers	F11B	0-1,5
Mania : hardly sleep	F12_I	0-1,5
Mania : easily distracted	F13_I	0-1,5
Mania : change plans	F13A_I	0-1,5
Mania—main episode		
Mania : more active	F3_II	0-1,5
Mania : unable sit still	F4_II	0-1,5
Mania : spending sprees	F5_II	0-1,5
Mania : interest in sex increased	F6_II	0-1,5
Mania : less careful sex activities	F6A_II	0-1,5
Mania : talk so fast could not be understood	F7_II	0-1,5
Mania : thoughts raced	F8_II	0-1,5
Mania : say or do things embarrassing things	F9_II	0-1,5
Mania : very friendly with strangers	F10_II	0-1,5
Mania : special gift—plausible	F11_II	0-1,5
Mania : hardly sleep	F12_II	0-1,5
Mania : easily distracted	F13_II	0-1,5
Mania : change plans	F13A_II	0-1,5
Mania : clinical significance	F14	0-5
Mania : doctor diagnosis	F14_MD	0-5
Mania : result using medication	F14_OTH3	0-1,5
Mania : result physical injury	F14_OTH4	0-1,5
Mania : longest period with symptoms	F15	0-29
Mania : excitement and depression close periods	F16	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>Mania—main episode <i>continued</i></b>		
Mania : all excitement episodes near depressed episodes	F16A	0-1,5
Mania : all depressed episodes near excitement episodes	F16B	0-1,5
Mania : onset	F17_ONS	0-6
Mania : recency	F17_REC	0-6
Mania : number of periods of four days	F18	0-2
Mania : number of periods of a week or more	F18A	0-2
Mania : hospital overnight admissions	F19	0-1,5
Mania : more than one episode coded	F20_ID	0-1,5
Mania : month with most symptoms	F21	0-12
Mania : any episodes before last 12 months	F23	0-1,5
Mania : behaviour changes before last 12 months	F23A	0-5
Mania : previous period—clinical significance	F23A_MD	0-5
Mania : previous period—result using medication	F23A_OT3	0-1,5
Mania : previous period—result physical injury	F23A_OT4	0-1,5
<b>Mania—service utilisation and days out of role</b>		
Mania : doctor consultations	F24	0-2
Mania : total days out of role	F25	0-2
Mania : partial days out of role	F26	0-2
<b>PSYCHOSIS SCREENER</b>		
Psychosis screener		
Psychosis : interfered with or controlled thoughts	G1	1,5
Psychosis : hard for others to believe	G1A	0-1,5
Psychosis : feel people too interested	G2	1,5
Psychosis : feel things arranged specially	G2A	0-1,5
Psychosis : special powers	G3	1,5
Psychosis : belong to a group with powers	G3A	0-1,5
Psychosis : has a doctor said schizophrenia	G4	1,5
<b>DISORDERS RESULTING FROM USE OF ALCOHOL</b>		
Alcohol use		
Alcohol : total 12 drinks in last 12 months	J1	1,5
Alcohol : confirmation of less than 12 drinks	J1A	0-1,5
Alcohol : one drink every day	J2_1	0-1,5
Alcohol : one drink 3-4 days week	J2_2	0-1,5
Alcohol : one drink 1-2 days week	J2_3	0-1,5
Alcohol : one drink 1-3 days month	J2_4	0-1,5
Alcohol : one drink less once month	J2_5	0-1,5
Alcohol : usual number of drinks per day	J3	0-11
Alcohol : onset—first began to drink	J3A_ONS	0-6
Alcohol : recency—last drank	J3B_REC	0-6
Alcohol : most drinks on a single day	J3C	0-11

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Alcohol—harmful use		
Alcohol : interfered with work	J4	0-1,5
Alcohol : cause of fights	J5	0-1,5
Alcohol : trouble with family	J5A	0-1,5
Alcohol : continued drinking although family problems	J5B	0-1,5
Alcohol : arrested under influence	J6	0-1,5
Alcohol : situations in danger situations	J7	0-1,5
Alcohol : onset (harmful use)	J8_ONS	0-6
Alcohol : recency (harmful use)	J8_REC	0-6
Alcohol—dependence		
Alcohol : more to get effect	J9	0-1,5
Alcohol : same amount has less effect	J9A	0-1,5
Alcohol : strong desire to drink	J10	0-1,5
Alcohol : want a drink badly thinking of nothing else	J10A	0-1,5
Alcohol : drink more than intended	J11	0-1,5
Alcohol : drink longer than intended	J11A	0-1,5
Alcohol : wanted to cut down	J12	0-1,5
Alcohol : tried to stop but could not	J12A	0-1,5
Alcohol : great deal of time getting over effects	J13	0-1,5
Alcohol : give up activities	J14	0-1,5
Alcohol : problems after quitting	J15	0-1,5-6
Alcohol : shakes	J15_1	0-1,5-6
Alcohol : unable to sleep	J15_2	0-1,5
Alcohol : feeling nervous	J15_3	0-1,5
Alcohol : restless	J15_4	0-1,5
Alcohol : sweat	J15_5	0-1,5
Alcohol : heart beating fast	J15_6	0-1,5
Alcohol : nausea or vomiting	J15_7	0-1,5
Alcohol : headaches	J15_8	0-1,5
Alcohol : weakness	J15_9	0-1,5
Alcohol : seeing hearing or feeling things	J15_10	0-1,5
Alcohol : seizure	J15_11	0-1,5
Alcohol : two or more positive symptoms (J15_1 to J15_11)	J15A	0-1,5
Alcohol : drink to keep from problems	J15B	0-1,5
Alcohol : caused any medical conditions	J16	0-1,5
Alcohol : hepatitis or liver disease	J16A_1	0-1,5
Alcohol : stomach disease	J16A_2	0-1,5
Alcohol : feet tingle	J16A_3	0-1,5
Alcohol : memory problems	J16A_4	0-1,5
Alcohol : pancreatitis	J16A_5	0-1,5
Alcohol : any other diseases	J16A_6	0-1,5
Alcohol : other diseases example	J16A_6_X	0,5
Alcohol : continued knowing drink causing problem	J16B	0-1,5
Alcohol : continued knowing had medical problems	J17	0-1,5
Alcohol : caused emotional or psychological problem	J18	0-1,5
Alcohol : uninterested in usual activities	J18A_1	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>Alcohol—dependence <i>continued</i></b>		
Alcohol : depressed	J18A_2	0-1,5
Alcohol : suspicious of others	J18A_3	0-1,5
Alcohol : strange thoughts	J18A_4	0-1,5
Alcohol : continued drinking knowing causing emotional problem	J18B	0-1,5
Alcohol : onset (any problems)	J20_ONS	0-6
Alcohol : recency (any problems)	J20_REC	0-6
Alcohol : time since any problems due to alcohol	DURJ20	0-11
<b>Alcohol—service utilisation and days out of role</b>		
Alcohol : doctor consultations	J21	0-2
Alcohol : total days out of role	J22	0-2
Alcohol : partial days out of role	J23	0-2
<b>OBSESSIVE-COMPULSIVE DISORDER</b>		
<b>Obsessive-compulsive disorder (OCD)</b>		
OCD : unpleasant thought	K1	1,5
OCD : persistent ideas	K1A	1,5
OCD : thought two weeks or more	K2	0-1,5
OCD : thought feelings of guilt	K3_1	0-1,5
OCD : thought body shape	K3_2	0-1,5
OCD : thought drug usage	K3_3	0-1,5
OCD : thought hair pulling	K3_4	0-1,5
OCD : thought serious ill	K3_5	0-1,5
OCD : combination	K3_6	0-1,5
OCD : thoughts seemed unreasonable	K4	0-1,5
OCD : thinking more than should have	K4A	0-1,5
OCD : enjoy these thoughts	K4B	0-1,5
OCD : thought recurred—clinical significance	K5	0-1
OCD : thought recurred—doctor diagnosis	K5_MD	0-5
OCD : thought recurred—result using medication	K5_OTH3	0-1,5
OCD : thought recurred—result physical injury	K5_OTH4	0-1,5
OCD : thoughts more than one hour	K6	0-1,5
OCD : thoughts interfered with normal activities	K7	0-1,5
OCD : onset (thoughts)	K8_ONS	0-6
OCD : recency (thoughts)	K8_REC	0-6
OCD : repetitive actions	K9	1,5
OCD : do things in strict order	K10	1,5
OCD : count something and could not stop	K11	1,5
OCD : say certain words over and over	K12	1,5
OCD : unnecessary behaviour	K13	0-1,5
OCD : try to control behaviour	K14	0-1,3,5
OCD : feel uncomfortable with behaviour	K15	0-1,5
OCD : something bad would happen	K15A	0-1,5
OCD : enjoy behaviour	K16	0-1,5
OCD : behaviours—clinical significance	K17	0,3-5
OCD : behaviours—doctor diagnosis	K17_MD	0-5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Obsessive-compulsive disorder (OCD) continued</i>		
OCD : behaviours—result using medication	K17_OTH3	0-1,5
OCD : behaviours—result physical injury	K17_OTH4	0-1,5
OCD : onset (behaviours)	K18_ONS	0-6
OCD : recency (behaviours)	K18_REC	0-6
OCD : interfere with normal activities	K19	0-1,5
OCD : most days for two weeks or more	K20	0-1,5
OCD : more than one hour a day	K21	0-1,5
<i>OCD—service utilisation and days out of role</i>		
OCD : doctor consultations	K21A	0-2
OCD : total days out of role	K21B	0-2
OCD : partial days out of role	K21C	0-2
<b>POST-TRAUMATIC STRESS DISORDER</b>		
<i>Post-traumatic stress disorder (PTSD)</i>		
PTSD : direct combat	K22_1_I	1,5
PTSD : life threat accident	K22_2_I	1,5
PTSD : natural disaster	K22_3_I	1,5
PTSD : witness killing or injury	K22_4_I	1,5
PTSD : rape	K22_5_I	1,5
PTSD : sexually molested	K22_6_I	1,5
PTSD : physically attacked	K22_7_I	1,5
PTSD : threatened with weapon or tortured or terrorised	K22_89_I	1,5
PTSD : other event example	K22_10DE	0-1,5
PTSD : other stress event	K22_10_I	1,5
PTSD : someone close example	K22_11DE	0-1,5
PTSD : shock someone close	K22_11_I	1,5
PTSD : event only once in lifetime	K22A_1A	0-1,5
PTSD : more than one stressful event	K22A_1B	0-1,5
PTSD : which most stressful event	K22A_2	0-11
PTSD : onset	K22B_ONS	0-6
PTSD : feel terrified	K22C	0-1,5
PTSD : feel helpless	K22D	0-1,5
PTSD : keep remembering	K23	0-1,5
PTSD : nightmares	K24	0-1,5
PTSD : happening again	K25	0-1,5
PTSD : upset when reminded	K26	0-1,5
PTSD : sweat heart beat	K27	0-1,5
PTSD : trouble sleeping then	K28	0-1,5
PTSD : trouble sleep 12 months	K28A	0-1,5
PTSD : irritable then	K29	0-1,5
PTSD : irritable 12 months	K29A	0-1,5
PTSD : difficulty concentrating then	K30	0-1,5
PTSD : difficulty concentrating 12 months	K30A	0-1,5
PTSD : concerned about danger then	K31	0-1,5
PTSD : concerned about danger 12 months	K31A	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Post-traumatic stress disorder (PTSD) <i>continued</i>		
PTSD : easily startled then	K32	0-1,5
PTSD : easily startled 12 months	K32A	0-1,5
PTSD : try not to think about event	K33	0-1,5
PTSD : avoid people places	K34	0-1,5
PTSD : memory blank	K35	0-1,5
PTSD : head injury	K35A	0-1,5
PTSD : unconscious	K35B	0-1,5
PTSD : lose interest in important things then	K36	0-1,5
PTSD : no interest in important things 12 months	K36A	0-1,5
PTSD : feel isolated then	K37	0-1,5
PTSD : feel isolated 12 months	K37A	0-1,5
PTSD : difficulty with feelings then	K38	0-1,5
PTSD : difficulty with feelings 12 months	K38A	0-1,5
PTSD : no point in future then	K39	0-1,5
PTSD : no point in future 12 months	K39A	0-1,5
PTSD : how soon after event any problems	K40	0-6
PTSD : how long problems continued	K41	0-5
PTSD : recency problems	K42_REC	0-5
PTSD : tell doctor	K43	0-1,5
PTSD : tell other professional	K43_1	0-1,5
PTSD : take medication drugs or alcohol	K43_2	0-1,5
PTSD : problems interfere with normal activities	K43_3	0-1,5
PTSD : very upset with self	K44	0-1,5
PTSD : problems prevent social activities 12 months	K45	0-1,5
PTSD—service utilisation and days out of role		
PTSD : doctor consultations	K46	0-2
PTSD : total days out of role	K47	0-2
PTSD : partial days out of role	K48	0-2
<b>SUBSTANCE-RELATED DISORDERS</b>		
Amount and type of drug use		
Drugs : any prescribed medication	L1	1,5
Drugs : used larger than prescribed amounts	L1A	0-1,5
Drugs : used non-prescribed medication more five times	L2	1,5
Drugs : used other drugs more than five times	L3	1,5
Drugs : marijuana	L4_1	0-1,5
Drugs : marijuana method of use	L6_1	0-6
Drugs : stimulants	L4_2	0-1,5
Drugs : stimulants method of use	L6_2	0-6
Drugs : prescription stimulant	L4_2A	0-1,5
Drugs : sedatives	L4_3	0-1,5
Drugs : sedatives method of use	L6_3	0-6
Drugs : prescription sedatives	L4_3A	0-1,5
Drugs : opioids	L4_4	0-1,5
Drugs : opioids method of use	L6_4	0-6

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Amount and type of drug use continued</i>		
Drugs : prescription opioids	L4_4A	0-1,5
Drugs : marijuana how often	L7_1	1-5
Drugs : marijuana onset	L7A_10NS	1-6
Drugs : marijuana recency	L7B_1REC	1-6
Drugs : marijuana last use	L7C_1REC	1-6
Drugs : marijuana—duration	DURL7C1	0-2
Drugs : stimulants how often	L7_2	1-5
Drugs : stimulants onset	L7A_20NS	0-6
Drugs : stimulants recency	L7B_2REC	0-6
Drugs : stimulants last use	L7C_2REC	0-6
Drugs : stimulants—duration	DURL7C2	0-2
Drugs : sedatives how often	L7_3	1-5
Drugs : sedatives onset	L7A_30NS	0-6
Drugs : sedatives recency	L7B_3REC	0-6
Drugs : sedatives last use	L7C_3REC	0-6
Drugs : sedatives—duration	DURL7C3	0-2
Drugs : opioids how often	L7_4	1-5
Drugs : opioids onset	L7A_40NS	0-6
Drugs : opioids recency	L7B_4REC	0-6
Drugs : opioids last use	L7C_4REC	0-6
Drugs : opioids—duration	DURL7C4	0-2
<i>Drugs—harmful use</i>		
Drugs : interfere with normal activities	L8	0-5
Drugs : marijuana interfere	L8A_1	0-1,5
Drugs : stimulants interfere	L8A_2	0-1,5
Drugs : sedatives interfere	L8A_3	0-1,5
Drugs : opioids interfere	L8A_4	0-1,5
<i>Harmful use—cause of any problem</i>		
Drugs : caused family problems	L9	0-1,5
Drugs : caused police problems	L9A	0-1,5
Drugs : marijuana caused problems	L9B_1	0-1,5
Drugs : marijuana continued use although problems	L9C_1	0-1,5
Drugs : stimulants caused problems	L9B_2	0-1,5
Drugs : stimulants continued use although problems	L9C_2	0-1,5
Drugs : sedatives caused problems	L9B_3	0-1,5
Drugs : sedatives continued use although problems	L9C_3	0-1,5
Drugs : opioids caused problems	L9B_4	0-1,5
Drugs : opioids continued use although problems	L9C_4	0-1,5
Drugs : used in danger situations	L10	0-1,5
Drugs : marijuana in danger situations	L10A_1	0-1,5
Drugs : stimulants in danger situations	L10A_2	0-1,5
Drugs : sedatives in danger situations	L10A_3	0-1,5
Drugs : opioids in danger situations	L10A_4	0-1,5
Drugs : marijuana onset problems	L11_10NS	0-6

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Harmful use—cause of any problem <i>continued</i>		
Drugs : marijuana recency problems	L11_1REC	0-6
Drugs : stimulants onset problems	L11_2ONS	0-6
Drugs : stimulants recency problems	L11_2REC	0-6
Drugs : sedatives onset problems	L11_3ONS	0-6
Drugs : sedatives recency problems	L11_3REC	0-6
Drugs : opioids onset problems	L11_4ONS	0-6
Drugs : opioids recency problems	L11_4REC	0-6
Drug—dependence		
Drugs : need more for effect	L12	0-1,5
Drugs : same had less effect	L12A	0-1,5
Drugs : marijuana need more for effect	L12B_1	0-1,5
Drugs : stimulants need more for effect	L12B_2	0-1,5
Drugs : sedatives need more for effect	L12B_3	0-1,5
Drugs : opioids need more for effect	L12B_4	0-1,5
Drugs : strong desire to use	L13	0-1,5
Drugs : want so badly	L13A	0-1,5
Drugs : marijuana strong desire to use	L13B_1	0-1,5
Drugs : stimulants strong desire to use	L13B_2	0-1,5
Drugs : sedatives strong desire to use	L13B_3	0-1,5
Drugs : opioids strong desire to use	L13B_4	0-1,5
Drugs : wanted to stop	L14	0-1,5
Drugs : marijuana wanted to stop	L14A_1	0-1,5
Drugs : marijuana cut down one month	L14B_1	0-1,5
Drugs : stimulants wanted to stop	L14A_2	0-1,5
Drugs : stimulants cut down one month	L14B_2	0-1,5
Drugs : sedatives wanted to stop	L14A_3	0-1,5
Drugs : sedatives cut down one month	L14B_3	0-1,5
Drugs : opioids wanted to stop	L14A_4	0-1,5
Drugs : opioids cut down one month	L14B_4	0-1,5
Drugs : spent time using or recovering	L15	0-1,5
Drugs : marijuana spent time using or recovering	L15A_1	0-1,5
Drugs : stimulants spent time using or recovering	L15A_2	0-1,5
Drugs : sedatives spent time using or recovering	L15A_3	0-1,5
Drugs : opioids spent time using or recovering	L15A_4	0-1,5
Drugs : used more or for longer	L16	0-1,5
Drugs : difficult to stop	L16A	0-1,5
Drugs : marijuana used more or for longer	L16B_1	0-1,5
Drugs : stimulants used more or for longer	L16B_2	0-1,5
Drugs : sedatives used more or for longer	L16B_3	0-1,5
Drugs : opioids used more or for longer	L16B_4	0-1,5
Drugs : problems caused by stopping	L17	0-1,5
Drugs : marijuana problems caused by stopping	L17A_1	0-1,5
Drugs : marijuana use to keep from problem	L17B_1	0-1,5
Drugs : stimulants problems caused by stopping	L17A_2	0-1,5
Drugs : stimulants use to keep from problem	L17B_2	0-1,5



DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Drug—dependence continued</i>		
Drugs : sedatives problems caused by stopping	L17A_3	0-1,5
Drugs : sedatives use to keep from problem	L17B_3	0-1,5
Drugs : opioids problems caused by stopping	L17A_4	0-1,5
Drugs : opioids use to keep from problem	L17B_4	0-1,5
<i>Dependence—cause of emotional and physical problems</i>		
Drugs : medical problems	L18	0-1,5
Drugs : marijuana health problems	L18A_1	0-1,5
Drugs : marijuana though health problems	L18B_1	0-1,5
Drugs : stimulants health problems	L18A_2	0-1,5
Drugs : stimulants though health problems	L18B_2	0-1,5
Drugs : sedatives health problems	L18A_3	0-1,5
Drugs : sedatives though health problems	L18B_3	0-1,5
Drugs : opioids health problems	L18A_4	0-1,5
Drugs : opioids though health problems	L18B_4	0-1,5
Drugs : emotional problems	L19	0-1,5
Drugs : marijuana emotional problems	L19A_1	0-1,5
Drugs : marijuana though emotional problems	L19B_1	0-1,5
Drugs : stimulants emotional problems	L19A_2	0-1,5
Drugs : stimulants though emotional problems	L19B_2	0-1,5
Drugs : sedatives emotional problems	L19A_3	0-1,5
Drugs : sedatives though emotional problems	L19B_3	0-1,5
Drugs : opioids emotional problems	L19A_4	0-1,5
Drugs : opioids though emotional problems	L19B_4	0-1,5
Drugs : give up activities	L20	0-1,5
Drugs : marijuana give up activities	L20A_1	0-1,5
Drugs : stimulants give up activities	L20A_2	0-1,5
Drugs : sedatives give up activities	L20A_3	0-1,5
Drugs : opioids give up activities	L20A_4	0-1,5
Drugs : marijuana onset problems	L24_1ONS	0-6
Drugs : marijuana recency problems	L24_1REC	0-6
Drugs : stimulants onset problems	L24_2ONS	0-6
Drugs : stimulants recency problems	L24_2REC	0-6
Drugs : sedatives onset problems	L24_3ONS	0-6
Drugs : sedatives recency problems	L24_3REC	0-6
Drugs : opioids onset problems	L24_4ONS	0-6
Drugs : opioids recency problems	L24_4REC	0-6
<i>Drugs—service utilisation and days out of role</i>		
Drugs : doctor consultancies	L25	0-2
Drugs : total days out of role	L26	0-2
Drugs : partial days out of role	L27	0-2

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>ORGANIC MENTAL DISORDERS</b>		
Mini-Mental State Examination (MMSE)		
MMSE : tell doctor about problems	M1	0-1,5,8
MMSE : orientation year	M2	0,5,8
MMSE : orientation year ok	M2_OK	0-1,5,8
MMSE : orientation season	M3	0,5,8
MMSE : orientation season ok	M3_OK	0-1,5,8
MMSE : orientation date	M4	0,5,8
MMSE : orientation date ok	M4_OK	0-1,5,8
MMSE : orientation day	M5	0-1,5,8
MMSE : orientation day ok	M5_OK	0-1,5,8
MMSE : orientation month	M6	0,5,8
MMSE : orientation month ok	M6_OK	0-1,5,8
MMSE : orientation state	M7	0,5,8
MMSE : orientation state ok	M7_OK	0-1,5,8
MMSE : orientation city	M8	0,5,8
MMSE : orientation city ok	M8_OK	0-1,5,8
MMSE : orientation suburb	M9	0,5,8
MMSE : orientation suburb ok	M9_OK	0-1,5,8
MMSE : orientation floor	M10A	0,5,8
MMSE : orientation floor ok	M10A_OK	0-1,5,8
MMSE : orientation address	M10B	0,5,8
MMSE : orientation address ok	M10B_OK	0-1,5,8
MMSE : short-term memory apple	M11_1	0-1,5,8
MMSE : short-term memory table	M11_2	0-1,5,8
MMSE : short-term memory penny	M11_3	0-1,5,8
MMSE : subtraction 93	M12_1	0-999
MMSE : subtraction 93 ok	M12_1_OK	0-1,5,7-9
MMSE : subtraction 86	M12_2	0-999
MMSE : subtraction 86 ok	M12_2_OK	0-1,5,7-9
MMSE : subtraction 79	M12_3	0-999
MMSE : subtraction 79 ok	M12_3_OK	0-1,5,7-9
MMSE : subtraction 72	M12_4	0-999
MMSE : subtraction 72 ok	M12_4_OK	0-1,5,7-9
MMSE : subtraction 65	M12_5	0-999
MMSE : subtraction 65 ok	M12_5_OK	0-1,5,7-9
MMSE : backwards world	M13	0,5,7-8
MMSE : backwards world ok	M13_OK	0-8
MMSE : long-term memory apple	M14_1	0-1,5,8
MMSE : long-term memory table	M14_2	0-1,5,8
MMSE : long-term memory penny	M14_3	0-1,5,8
MMSE : wrist watch	M15A	0-1,5,8
MMSE : pencil	M15B	0-1,5,8
MMSE : repeat phrase	M16	0-1,5,8
MMSE : read words then do	M17	0-1,5,7-8
MMSE : paper right hand	M18A	0-1,5,8
MMSE : paper in half	M18B	0-1,5,8

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Mini-Mental State Examination (MMSE) <i>continued</i>		
MMSE : paper on lap	M18C	0-1,5,8
MMSE : write sentence	M19	0-1,5,7-8
MMSE : copy drawing	M20	0-1,5,7-8
MMSE : skip section	M20_I	0-1,5,8
MMSE : quick score 12 errors or more	M20_ID	0-1,5,8

**PERSONALITY DISORDER SCREENER**

## Personality disorder screener

Personality : fun life	N1	1,5
Personality : don't react well to offence	N2	1,5
Personality : not fussy about details	N3	1,5
Personality : kind of person	N4	1,5
Personality : show feelings to all	N5	1,5
Personality : big decisions by others	N6	1,5
Personality : feel tense	N7	1,5
Personality : never get angry	N8	1,5
Personality : go to extremes to keep people	N9	1,5
Personality : very cautious	N10	1,5
Personality : never arrested	N11	1,5
Personality : cold detached	N12	1,5
Personality : intense relationships don't last	N13	0-1,5
Personality : people are honest	N14	1,5
Personality : hard to disagree when dependent	N15	1,5
Personality : feel awkward socially	N16	1,5
Personality : easily influenced by surroundings	N17	1,5
Personality : mistreat and feel bad	N18	1,5
Personality : argue to get own way	N19	1,5
Personality : refused hold job	N20	1,5
Personality : don't show reaction when praised	N21	1,5
Personality : held grudges	N22	1,5
Personality : too much time do things perfectly	N23	1,5
Personality : make fun of me behind back	N24	1,5
Personality : never threatened suicide	N25	0-1,5
Personality : feelings changing constantly	N26	1,5
Personality : fight for rights	N27	0-1,5
Personality : dress to stand out	N28	0-1,5
Personality : lie or con for self	N29	1,5
Personality : don't stick with plan	N30	1,5
Personality : no desire for sex	N31	0-1,5
Personality : too strict about rules	N32	1,5
Personality : uncomfortable alone	N33	1,5
Personality : don't get involved with people	N34	1,5
Personality : won't be centre attention	N35	0-1,5
Personality : suspect spouse unfaithful	N36	0-1,5
Personality : break things when angry	N37	1,5
Personality : close friendships a long time	N38	1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Personality disorder screener <i>continued</i>		
Personality : worry people not like me	N39	0-1,5
Personality : feel empty inside	N40	0-1,5
Personality : work hard no time for else	N41	0-1,5
Personality : worry left alone	N42	0-1,5
Personality : things dangerous not bothered	N43	0-1,5
Personality : flirt	N44	0-1,5
Personality : don't ask favours	N45	0-1,5
Personality : prefer solo activities	N46	0-1,5
Personality : lose temper	N47	0-1,5
Personality : too formal and stiff	N48	0-1,5
Personality : seek advice for everyday things	N49	0-1,5
Personality : keep to self	N50	0-1,5
Personality : hard to stay out of trouble	N51	0-1,5
Personality : conspiracy in the world	N52	0-1,5
Personality : moody	N53	0-1,5
Personality : hard to accept new way doing things	N54	0-1,5
Personality : strange person	N55	0-1,5
Personality : take chances and do reckless things	N56	0-1,5
Personality : need friends to be happy	N57	0-1,5
Personality : prefer own thoughts	N58	0-1,5
Personality : prefer things own way	N59	0-1,5
Personality : paranoid all adult life	N60_1	0-1,5
Personality : paranoid interfered	N60_1A	0-1,5
Personality : paranoid onset	N60_1BNS	0-6
Personality : paranoid recency	N60_1BEC	0-6
Personality : schizoid all adult life	N60_2	0-1,5
Personality : schizoid interfered	N60_2A	0-1,5
Personality : schizoid onset	N60_2BNS	0-6
Personality : schizoid recency	N60_2BEC	0-6
Personality : dissocial all adult life	N60_3	0-1,5
Personality : dissocial interfered	N60_3A	0-1,5
Personality : dissocial onset	N60_3BNS	0-6
Personality : dissocial recency	N60_3BEC	0-6
Personality : impulsive all adult life	N60_4	0-1,5
Personality : impulsive interfered	N60_4A	0-1,5
Personality : impulsive onset	N60_4BNS	0-6
Personality : impulsive recency	N60_4BEC	0-6
Personality : borderline all adult life	N60_5	0-1,5
Personality : borderline interfered	N60_5A	0-1,5
Personality : borderline onset	N60_5BNS	0-6
Personality : borderline recency	N60_5BEC	0-6
Personality : histrionic all adult life	N60_6	0-1,5
Personality : histrionic interfered	N60_6A	0-1,5
Personality : histrionic onset	N60_6BNS	0-6
Personality : histrionic recency	N60_6BEC	0-6
Personality : anankastic all adult life	N60_7	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
Personality disorder screener <i>continued</i>		
Personality : anankastic interfered	N60_7A	0-1,5
Personality : anankastic onset	N60_7BNS	0-6
Personality : anankastic recency	N60_7BEC	0-6
Personality : anxious all adult life	N60_8	0-1,5
Personality : anxious interfered	N60_8A	0-1,5
Personality : anxious onset	N60_8BNS	0-6
Personality : anxious recency	N60_8BEC	0-6
Personality : dependent all adult life	N60_9	0-1,5
Personality : dependent interfered	N60_9A	0-1,5
Personality : dependent onset	N60_9BNS	0-6
Personality : dependent recency	N60_9BEC	0-6
Personality—service utilisation and days out of role		
Personality : doctor consultancies	N61	0-2
Personality : total days out of role	N62	0-2
Personality : partial days out of role	N63	0-2
<b>DISABILITY</b>		
Brief Disability Questionnaire (BDQ)		
BDQ : limit vigorous activity	Q1A	1-3
BDQ : limit moderate activity	Q1B	1-3
BDQ : limit climbing stairs	Q1C	1-3
BDQ : limit bending or lifting	Q1D	1-3
BDQ : limit walking distances	Q1E	1-3
BDQ : limit self care activities	Q1F	1-3
BDQ : cut down any activity because of illness	Q2	1-3
BDQ : daily routine reduced activity	Q3	1-3
BDQ : motivation for work decreased	Q4	1-3
BDQ : personal efficiency decreased	Q5	1-3
BDQ : social relations deteriorated	Q6	1-3
BDQ : total days out of role	Q7	0-99
BDQ : total days stayed in bed	Q8	0-99
BDQ : problem troubles most	Q9	0-27
BDQ : how limited in activities	Q9A	1-3

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>HEALTH SERVICE UTILISATION AND PERCEIVED HEALTH NEEDS</b>		
Hospital admissions		
Hospital : one night any hospital	R1	1,5
Hospital : overnight general hospital	R2	0-1,5
Hospital : admission to general hospital for physical condition	R2A	0-1,5
Hospital : times in general hospital for physical condition	R2A_1	0-6
Hospital : nights in general hospital for physical condition	R2A_2	0-29
Hospital : admission to general hospital for mental problem	R2B	0-1,5
Hospital : times in general hospital for mental problem	R2B_1	0-6
Hospital : nights in general hospital for mental problem	R2B_2	0-29
Hospital : public or private general hospital	R2B_3	0-1,5
Hospital : admission to psychiatric hospital	R3	0-1,5
Hospital : times in psychiatric hospital	R3A_1	0-6
Hospital : nights in psychiatric hospital	R3A_2	0-29
Hospital : public or private psychiatric hospital	R3A_3	0-1,5
Hospital : admission to drug and alcohol unit in a hospital	R4	0-1,5
Hospital : times in drug and alcohol unit in a hospital	R4A_1	0-6
Hospital : nights in drug and alcohol unit in a hospital	R4A_2	0-29
Hospital : public or private drug and alcohol unit	R4A_3	0-1,5
Hospital : other hospital	R4A_4	0,5
Health professional consultations		
Professional : any health practitioners	R5	1,5
Professional : general practitioner	R5A_1	0-1,5
Professional : radiologist	R5A_2	0-1,5
Professional : pathologist	R5A_3	0-1,5
Professional : physician or other medical specialist	R5A_4	0-1,5
Professional : surgical specialist or gynaecologist	R5A_5	0-1,5
Professional : psychiatrist	R5A_6	0-1,5
Professional : psychologist	R5A_7	0-1,5
Professional : social worker or welfare officer or welfare officer	R5A_8	0-1,5
Professional : drug and alcohol counsellor	R5A_9	0-1,5
Professional : other counsellor	R5A_10	0-1,5
Professional : nurse	R5A_11	0-1,5
Professional : mental health team	R5A_12	0-1,5
Professional : chemist	R5A_13	0-1,5
Professional : ambulance officer	R5A_14	0-1,5
Professional : other health professional	R5A_15	0-1,5
Professional : times general practitioner	R6_1	0-20
Professional : times general practitioner for mental problem	R7_1	0-14
Professional : where general practitioner	R8_1	0-5
Professional : times radiologist	R6_2	0-8
Professional : times radiologist for mental problem	R7_2	0-2
Professional : where radiologist	R8_2	0-5
Professional : times pathologist	R6_3	0-8
Professional : times pathologist for mental problem	R7_3	0-2
Professional : where pathologist	R8_3	0-5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Health professional consultations continued</i>		
Professional : times physician or other medical specialist	R6_4	0-8
Professional : times physician or other medical specialist for mental problem	R7_4	0-2
Professional : where physician or other medical specialist	R8_4	0-5
Professional : times surgical specialist or gynaecologist	R6_5	0-8
Professional : times surgical specialist or gynaecologist for mental problem	R7_5	0-2
Professional : where surgical specialist or gynaecologist	R8_5	0-5
Professional : times psychiatrist	R6_6	0-8
Professional : times psychiatrist for mental problem	R7_6	0-8
Professional : where psychiatrist	R8_6	0-5
Professional : times psychologist	R6_7	0-8
Professional : times psychologist for mental problem	R7_7	0-8
Professional : where psychologist	R8_7	0-5
Professional : times social worker or welfare officer	R6_8	0-7
Professional : times social worker or welfare officer for mental problem	R7_8	0-7
Professional : where social worker or welfare officer	R8_8	0-5
Professional : times drug and alcohol counsellor	R6_9	0-2
Professional : times drug and alcohol counsellor for mental problem	R7_9	0-2
Professional : where drug and alcohol counsellor	R8_9	0-5
Professional : times other counsellor	R6_10	0-7
Professional : times other counsellor for mental problem	R7_10	0-7
Professional : where other counsellor	R8_10	0-5
Professional : times nurse	R6_11	0-8
Professional : times nurse for mental problem	R7_11	0-2
Professional : where nurse	R8_11	0-5
Professional : times mental health team	R6_12	0-2
Professional : times mental health team for mental problem	R7_12	0-2
Professional : where mental health team	R8_12	0-5
Professional : times chemist	R6_13	0-8
Professional : times chemist for mental problem	R7_13	0-2
Professional : where chemist	R8_13	0-5
Professional : times ambulance	R6_14	0-2
Professional : times ambulance for mental problem	R7_14	0-2
Professional : where ambulance	R8_14	0-5
Professional : times other professional	R6_15	0-8
Professional : times other professional for mental problem	R7_15	0-7
Professional : where other professional	R8_15	0-5
<i>Perceived need for help</i>		
Perceived need : information	R9_1	0-1,5
Perceived need : medicine	R9_2	0-1,5
Perceived need : psychotherapy	R9_3	0-1,5
Perceived need : cognitive behaviour therapy	R9_4	0-1,5
Perceived need : counselling	R9_5	0-1,5
Perceived need : house money problems	R9_6	0-1,5
Perceived need : ability work	R9_7	0-1,5
Perceived need : look after self	R9_8	0-1,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<i>Perceived need for help continued</i>		
Perceived need : meet people	R9_9	0-1,5
Perceived need : other	R9_10	0-1,5
Perceived need : main problem—information	R9A_1	0-1,5
Perceived need : main problem—medicine	R9A_2	0-1,5
Perceived need : main problem—psychotherapy	R9A_3	0-1,5
Perceived need : main problem—cognitive behaviour therapy	R9A_4	0-1,5
Perceived need : main problem—counselling	R9A_5	0-1,5
Perceived need : main problem—house money	R9A_6	0-1,5
Perceived need : main problem—ability to work	R9A_7	0-1,5
Perceived need : main problem—look after self	R9A_8	0-1,5
Perceived need : main problem—meet people	R9A_9	0-1,5
Perceived need : main problem—other	R9A_10	0-1,5
Perceived need : most help with main problem	R9B	0-11
Perceived need : information—get enough help	R10_1A	0-1,5
Perceived need : information—get more help	R10_1B	0-7
Perceived need : information—needed help	R10_2A	0-1,5
Perceived need : information—why didn't get	R10_2B	0-7
Perceived need : medicine—get enough help	R11_1A	0-1,5
Perceived need : medicine—get more help	R11_1B	0-7
Perceived need : medicine—needed help	R11_2A	0-1,5
Perceived need : medicine—why didn't get	R11_2B	0-7
Perceived need : therapy—get enough help	R12_1A	0-1,5
Perceived need : therapy—get more help	R12_1B	0-7
Perceived need : therapy—needed help	R12_2A	0-1,5
Perceived need : therapy—why didn't get	R12_2B	0-7
Perceived need : practical issues—get enough help	R13_1A	0-1,5
Perceived need : practical issues—get more help	R13_1B	0-7
Perceived need : practical issues—needed help	R13_2A	0-1,5
Perceived need : practical issues—why didn't get	R13_2B	0-7
Perceived need : self care ability—get enough help	R14_1A	0-1,5
Perceived need : self care ability—get more help	R14_1B	0-7
Perceived need : self care ability—needed help	R14_2A	0-1,5
Perceived need : self care ability—why didn't get	R14_2B	0-7
Perceived need : needed information	R15	0-1,5
Perceived need : why didn't get information	R15A	0-7
Perceived need : needed medicine	R16	0-1,5
Perceived need : why didn't get medicine	R16A	0-7
Perceived need : needed counselling therapy	R17	0-1,5
Perceived need : why didn't get counselling therapy	R17A	0-7
Perceived need : needed practical issues help	R18	0-1,5
Perceived need : why didn't get practical issues help	R18A	0-7
Perceived need : needed improve self care ability	R19	0-1,5
Perceived need : why didn't get help self care ability	R19A	0-7



DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
<b>GENERAL HEALTH QUESTIONNAIRE-12 ITEM SCALE (GHQ-12)</b>		
General Health Questionnaire		
GHQ-12 : able to concentrate	S1	1-4
GHQ-12 : lost sleep over worry	S2	1-4
GHQ-12 : playing useful part	S3	1-4
GHQ-12 : capable of decisions	S4	1-4
GHQ-12 : under strain	S5	1-4
GHQ-12 : can not overcome difficulties	S6	1-4
GHQ-12 : enjoy normal activities	S7	1-4
GHQ-12 : face problems	S8	1-4
GHQ-12 : depressed	S9	1-4
GHQ-12 : losing confidence in self	S10	1-4
GHQ-12 : felt worthless person	S11	1-4
GHQ-12 : reasonably happy	S12	1-4

**LIKELY DIAGNOSIS OF MENTAL HEALTH PROBLEM**

Likely diagnosis of mental health problem

Any likely diagnosis	LIKDIAGO	0-1
Tiredness	LIKDIAG1	0-1
Social fears	LIKDIAG2	0-1
Fear travelling	LIKDIAG3	0-1
Fear of panic	LIKDIAG4	0-1
Months of worry	LIKDIAG5	0-1
Sad 2+ years	LIKDIAG6	0-1
Sad 2+ weeks	LIKDIAG7	0-1
Happy/irritable	LIKDIAG8	0-1
Unusual ideas	LIKDIAG9	0-1
Memory failure	LIKDIA10	0-1
Recurrent thoughts	LIKDIA11	0-1
Traumatic event	LIKDIA12	0-1
Nature/personality	LIKDIA13	0-1
Drug use	LIKDIA14	0-1
Drinking	LIKDIA15	0-1

**CIDI MENTAL DISORDER DIAGNOSIS**

ICD-10 classification of mental and behaviour disorders

Neurasthenia	F48_0	0-1,3,5
Neurasthenia : onset	F48_OA	0-6
Neurasthenia : recency	F48_OC	0-6
Neurasthenia : duration	DURF480	0-99
Dependence syndrome : alcohol	F10_2	0-1,3,5
Dependence syndrome : alcohol—duration	DURF102	0-99
Harmful use : alcohol	F10_1	0-1,3,5
Harmful use : alcohol—onset	F10_1A	0-6
Harmful use : alcohol—recency	F10_1C	0-6
Harmful use : alcohol—duration	DURF101	0-99
Dependence syndrome : opioids	F11_2	0-1,3,5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
ICD-10 classification of mental and behaviour disorders <i>continued</i>		
Dependence syndrome : opioids—duration	DURF112	0-99
Dependence syndrome : cannabinoids	F12_2	0-1,3,5
Dependence syndrome : cannabinoids—duration	DURF122	0-99
Dependence syndrome : sedatives	F13_2	0-1,3,5
Dependence syndrome : sedatives—duration	DURF132	0-99
Dependence syndrome : stimulants	F15_2	0-1,3,5
Dependence syndrome : stimulants—duration	DURF152	0-99
Harmful use : opioids	F11_1	0-1,3,5
Harmful use : opioids—duration	DURF111	0-99
Harmful use : cannabinoids	F12_1	0-1,3,5
Harmful use : cannabinoids—duration	DURF121	0-99
Harmful use : sedatives or hypnotics	F13_1	0-1,3,5
Harmful use : sedatives—duration	DURF131	0-99
Harmful use : stimulants	F15_1	0-1,3,5
Harmful use : stimulants—duration	DURF151	0-99
Hypomania	F30_0	0-1,3,5
Hypomania : onset	F30_0A	0-6
Hypomania : recency	F30_0C	0-6
Hypomania : duration	DURF300	0-99
Mania without psychotic symptoms	F30_1	0-1,3,5
Mania without psychotic symptoms : onset	F30_1A	0-6
Mania without psychotic symptoms : recency	F30_1C	0-6
Mania without psychotic symptoms : duration	DURF301	0-99
Mania with psychotic symptoms	F30_2	0-1,3,5
Mania with psychotic symptoms : onset	F30_2A	0-6
Mania with psychotic symptoms : recency	F30_2C	0-6
Mania with psychotic symptoms : duration	DURF302	0-99
Mild depressive episode	F32_0	0-1,3,5
Mild depressive episode : onset	F32_0A	0-6
Mild depressive episode : recency	F32_0C	0-6
Mild depressive episode : duration	DURF320	0-99
Moderate depressive episode	F32_1	0-1,3,5
Moderate depressive episode : onset	F32_1A	0-6
Moderate depressive episode : recency	F32_1C	0-6
Moderate depressive episode : duration	DURF321	0-99
Severe depressive episode without psychotic symptoms	F32_2	0-1,3,5
Severe depressive episode without psychotic symptoms : onset	F32_2A	0-6
Severe depressive episode without psychotic symptoms : recency	F32_2C	0-6
Severe depressive episode without psychotic symptoms : duration	DURF322	0-99
Mild depressive episode without somatic syndrome	F32_00	0-1,3,5
Mild depressive episode without somatic syndrome : onset	F32_00A	0-6
Mild depressive episode without somatic syndrome : recency	F32_00C	0-6
Mild depressive episode without somatic syndrome : duration	DURF3200	0-99
Mild depressive episode with somatic syndrome	F32_01	0-1,3,5
Mild depressive episode with somatic syndrome : onset	F32_01A	0-6
Mild depressive episode with somatic syndrome : recency	F32_01C	0-6

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
ICD-10 classification of mental and behaviour disorders <i>continued</i>		
Mild depressive episode with somatic syndrome : duration	DURF3201	0-99
Moderate depressive episode without somatic syndrome	F32_10	0-1,3,5
Moderate depressive episode without somatic syndrome : onset	F32_10A	0-6
Moderate depressive episode without somatic syndrome : recency	F32_10C	0-6
Moderate depressive episode without somatic syndrome : duration	DURF3210	0-99
Moderate depressive episode with somatic syndrome	F32_11	0-1,3,5
Moderate depressive episode with somatic syndrome : onset	F32_11A	0-6
Moderate depressive episode with somatic syndrome : recency	F32_11C	0-6
Moderate depressive episode with somatic syndrome : duration	DURF3211	0-99
Recurrent depressive episode : mild—without somatic syndrome	F33_00	0-1,3,5
Recurrent depressive episode : mild—without somatic syndrome—onset	F33_00A	0-6
Recurrent depressive episode : mild—without somatic syndrome—recency	F33_00C	0-6
Recurrent depressive episode : mild—without somatic syndrome—duration	DURF3300	0-99
Recurrent depressive episode : mild—with somatic syndrome	F33_01	0-1,3,5
Recurrent depressive episode : mild—with somatic syndrome—onset	F33_01A	0-6
Recurrent depressive episode : mild—with somatic syndrome—recency	F33_01C	0-6
Recurrent depressive episode : mild—with somatic syndrome—duration	DURF3301	0-99
Recurrent depressive episode : moderate—without somatic syndrome	F33_10	0-1,3,5
Recurrent depressive episode : moderate—without somatic syndrome—onset	F33_10A	0-6
Recurrent depressive episode : moderate—without somatic syndrome—recency	F33_10C	0-6
Recurrent depressive episode : moderate—without somatic syndrome—duration	DURF3310	0-99
Recurrent depressive episode : moderate—with somatic syndrome	F33_11	0-1,3,5
Recurrent depressive episode : moderate—with somatic syndrome—onset	F33_11A	0-6
Recurrent depressive episode : moderate—with somatic syndrome—recency	F33_11C	0-6
Recurrent depressive episode : moderate—with somatic syndrome—duration	DURF3311	0-99
Recurrent depressive episode : severe—without psychotic symptoms	F33_2	0-1,3,5
Recurrent depressive episode : severe—without psychotic symptoms—onset	F33_2A	0-6
Recurrent depressive episode : severe—without psychotic symptoms—recency	F33_2C	0-6
Recurrent depressive episode : severe—without psychotic symptoms—duration	DURF332	0-99
Bipolar affective disorder	F31	0-1,3,5
Bipolar affective disorder : onset	F31A	0-6
Bipolar affective disorder : recency	F31C	0-6
Bipolar affective disorder : duration	DURF31	0-99
Dysthymia	F34_1	0-1,3,5
Dysthymia : recency	F34_1C	0-6
Dysthymia : duration	DURF341	0-99
Panic disorder	F41_0	0-1,3,5
Panic disorder : onset	F41_0A	0-6
Panic disorder : recency	F41_0C	0-6
Panic disorder : duration	DURF410	0-99
Panic disorder : moderate	F41_00	0-1,3,5
Panic disorder : moderate—onset	F41_00A	0-6
Panic disorder : moderate—recency	F41_00C	0-6
Panic disorder : moderate—duration	DURF4100	0-99
Panic disorder : severe	F41_01	0-1,3,5
Panic disorder : severe—onset	F41_01A	0-6

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
ICD-10 classification of mental and behaviour disorders <i>continued</i>		
Panic disorder : severe—recency	F41_01C	0-6
Panic disorder : severe—duration	DURF4101	0-99
Agoraphobia	F40_0	0-1,3,5
Agoraphobia : onset	F40_0A	0-6
Agoraphobia : recency	F40_0C	0-6
Agoraphobia : duration	DURF400	0-99
Agoraphobia without panic disorder	F40_00	0-1,3,5
Agoraphobia without panic disorder : onset	F40_00A	0-6
Agoraphobia without panic disorder : recency	F40_00C	0-6
Agoraphobia without panic disorder : duration	DURF4000	0-99
Agoraphobia with panic disorder	F40_01	0-1,3,5
Agoraphobia with panic disorder : onset	F40_01A	0-6
Agoraphobia with panic disorder : recency	F40_01C	0-6
Agoraphobia with panic disorder : duration	DURF4001	0-99
Social phobia	F40_1	0-1,3,5
Social phobia : onset	F40_1A	0-6
Social phobia : recency	F40_1C	0-6
Social phobia : duration	DURF401	0-99
Generalised anxiety disorder	F41_1	0-1,3,5
Generalised anxiety disorder : onset	F41_1A	0-6
Generalised anxiety disorder : recency	F41_1C	0-6
Generalised anxiety disorder : duration	DURF411	0-99
Obsessive-compulsive disorder : predominantly obsessional thoughts or ruminations	F42_0	0-1,3,5
Obsessive-compulsive disorder : thoughts—onset	F42_0A	0-6
Obsessive-compulsive disorder : thoughts—recency	F42_0C	0-6
Obsessive-compulsive disorder : thoughts—duration	DURF420	0-99
Obsessive-compulsive disorder : predominantly compulsive behaviours	F42_1	0-1,3,5
Obsessive-compulsive disorder : behaviours—onset	F42_1A	0-6
Obsessive-compulsive disorder : behaviours—recency	F42_1C	0-6
Obsessive-compulsive disorder : behaviours—duration	DURF421	0-99
Obsessive-compulsive disorder : mixed thoughts and behaviours	F42_2	0-1,3,5
Obsessive-compulsive disorder : mixed	F42_2A	0-6
Obsessive-compulsive disorder : mixed—recency	F42_2C	0-6
Obsessive-compulsive disorder : mixed—duration	DURF422	0-99
Post-traumatic stress disorder	F43_1	0-1,3,5
Post-traumatic stress disorder : onset	F43_1A	0-6
Post-traumatic stress disorder : recency	F43_1C	0-6
Post-traumatic stress disorder : duration	DURF431	0-99

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
DSM-IV classification of mental disorders		
Alcohol dependence	D303_90	0-1,3,5
Alcohol harmful use	D305_00	0-1,3,5
Alcohol harmful : onset	D305_00A	0-6
Alcohol harmful : recency	D305_00C	0-6
Opioid dependence	D304_00	0-1,3,5
Cannabis dependence	D304_30	0-1,3,5
Sedative dependence	D304_10	0-1,3,5
Amphetamine dependence	D304_40	0-1,3,5
Opioid harmful use	D305_50	0-1,3,5
Cannabis harmful use	D305_20	0-1,3,5
Sedative harmful use	D305_40	0-1,3,5
Amphetamine harmful use	D305_70	0-1,3,5
Major depressive disorder : single episode—mild	D296_21	0-1,3,5
Major depressive disorder : single episode—mild—onset	D296_21A	0-6
Major depressive disorder : single episode—mild—recency	D296_21C	0-6
Major depressive disorder : single episode—moderate	D296_22	0-6
Major depressive disorder : single episode—moderate—onset	D296_22A	0-6
Major depressive disorder : single episode—moderate—recency	D296_22C	0-6
Major depressive disorder : single episode—severe without psychotic features	D296_23	0-1,3,5
Major depressive disorder : single episode—severe without psychotic features—onset	D296_23A	0-6
Major depressive disorder : single episode—severe without psychotic features—recency	D296_23C	0-6
Major depressive disorder : recurrent—mild	D296_31	0-1,3,5
Major depressive disorder : recurrent—mild—onset	D296_31A	0-6
Major depressive disorder : recurrent—mild—recency	D296_31C	0-6
Major depressive disorder : recurrent—moderate	D296_32	0-1,3,5
Major depressive disorder : recurrent—moderate—onset	D296_32A	0-6
Major depressive disorder : recurrent—moderate—recency	D296_32C	0-6
Major depressive disorder : recurrent—severe without psychotic features	D296_33	0-1,3,5
Major depressive disorder : recurrent—severe without psychotic features—onset	D296_33A	0-6
Major depressive disorder : recurrent—severe without psychotic features—recency	D296_33C	0-6
Bipolar I disorder : single manic episode—mild	D296_01	0-1,3,5
Bipolar I disorder : single manic episode—mild—onset	D296_01A	0-6
Bipolar I disorder : single manic episode—mild—recency	D296_01C	0-6
Bipolar I disorder : single manic episode—moderate	D296_02	0-1,3,5
Bipolar I disorder : single manic episode—moderate—onset	D296_02A	0-6
Bipolar I disorder : single manic episode—moderate—recency	D296_02C	0-6
Bipolar I disorder : single manic episode—severe	D296_03	0-1,3,5
Bipolar I disorder : single manic episode—severe—onset	D296_03A	0-6
Bipolar I disorder : single manic episode—severe—recency	D296_03C	0-6
Bipolar I disorder : manic—mild	D296_41	0-1,3,5
Bipolar I disorder : manic—mild—onset	D296_41A	0-6
Bipolar I disorder : manic—mild—recency	D296_41C	0-6
Bipolar I disorder : manic—moderate	D296_42	0-1,3,5
Bipolar I disorder : manic—moderate—onset	D296_42A	0-6

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
DSM-IV classification of mental disorders <i>continued</i>		
Bipolar I disorder : manic—moderate—recency	D296_42C	0-6
Bipolar I disorder : manic—severe	D296_43	0-1,3,5
Bipolar I disorder : manic—severe—onset	D296_43A	0-6
Bipolar I disorder : manic—severe—recency	D296_43C	0-6
Bipolar II disorder	D296_89	0-1,3,5
Bipolar II disorder : onset	D296_89A	0-6
Bipolar II disorder : recency	D296_89C	0-6
Dysthymic disorder	D300_4	0-1,3,5
Obsessive-compulsive disorder	D300_3	0-1,3,5
Obsessive-compulsive disorder : onset	D300_3A	0-6
Obsessive-compulsive disorder : recency	D300_3C	0-6
Post-traumatic stress disorder	D309_81	0-1,3,5
Post-traumatic stress disorder : onset	D309_81A	0-6
Post-traumatic stress disorder : recency	D309_81C	0-6
Panic disorder without agoraphobia	D300_01	0-1,3,5
Panic disorder without agoraphobia : onset	D300_01A	0-6
Panic disorder without agoraphobia : recency	D300_01C	0-6
Panic disorder with agoraphobia	D300_21	0-1,3,5
Panic disorder with agoraphobia : onset	D300_21A	0-6
Panic disorder with agoraphobia : recency	D300_21C	0-6
Agoraphobia without history of panic disorder	D300_22	0-1,3,5
Agoraphobia without history of panic disorder : onset	D300_22A	0-6
Agoraphobia without history of panic disorder : recency	D300_22C	0-6
Social phobia	D300_23	0-1,3,5
Social phobia : onset	D300_23A	0-6
Social phobia : recency	D300_23C	0-6
Generalised anxiety disorder	D300_02	0-1,3,5
Generalised anxiety disorder : onset	D300_02A	0-6
Generalised anxiety disorder : recency	D300_02C	0-6
Paranoid personality disorder	F60_0	0-1,3-5
Paranoid personality disorder : onset	F60_0A	0-6
Paranoid personality disorder : recency	F60_0C	0-6
Paranoid personality disorder : duration	DURF600	0-99
Schizoid personality disorder	F60_1	0-1,3-5
Schizoid personality disorder : onset	F60_1A	0-6
Schizoid personality disorder : recency	F60_1C	0-6
Schizoid personality disorder : duration	DURF601	0-99
Dissocial personality disorder	F60_2	0-5
Dissocial personality disorder : onset	F60_2A	0-6
Dissocial personality disorder : recency	F60_2C	0-6
Dissocial personality disorder : duration	DURF602	0-99
Impulsive personality disorder	F60_30	0,10,20,30,35,40
Impulsive personality disorder : onset	F60_30A	0-6
Impulsive personality disorder : recency	F60_30C	0-6
Impulsive personality disorder : duration	DURF6030	0-99
Borderline personality disorder	F60_31	0-1,3-5

DATA ITEM GROUP / FIELD DESCRIPTION LABEL	FIELD NAME	RANGE OF CODES
DSM-IV classification of mental disorders <i>continued</i>		
Borderline personality disorder : onset	F60_31A	0-6
Borderline personality disorder : recency	F60_31C	0-6
Borderline personality disorder : duration	DURF6031	0-99
Histrionic personality disorder	F60_4	0-1,3-5
Histrionic personality disorder : onset	F60_4A	0-6
Histrionic personality disorder : recency	F60_4C	0-6
Histrionic personality disorder : duration	DURF604	0-99
Anankastic personality disorder	F60_5	0-1,3-5
Anankastic personality disorder : onset	F60_5A	0-6
Anankastic personality disorder : recency	F60_5C	0-6
Anankastic personality disorder : duration	DURF605	0-99
Anxious personality disorder	F60_6	0-1,3-5
Anxious personality disorder : onset	F60_6A	0-6
Anxious personality disorder : recency	F60_6C	0-6
Anxious personality disorder : duration	DURF606	0-99
Dependent personality disorder	F60_7	0-1,3-5
Dependent personality disorder : onset	F60_7A	0-6
Dependent personality disorder : recency	F60_7C	0-6
Dependent personality disorder : duration	DURF607	0-99

**OTHER SCORED INFORMATION**

Other scored information

SF-12 physical summary scale score	PCS_12	0-99999
SF-12 mental summary scale score	MCS_12	0-99999
Score on Kendler's neuroticism items from the EPQ	EPQ12	0-999
Score on Kessler's Psychological Distress Scale	KESLR10	1-999
Number of medical conditions present	MEDCON	0-999
Psychosis screener questions	PSYCH	0-999
Score on Mini-Mental State Examination	MMSE	0-999
Total BDQ score (WHO)	BDQWHO	0-999
Total BDQ score (MOS)	BDQMOS	0-999
Number of days effected by disability	BDQALD	0-999
BDQ score for main problem/positive diagnosis	BDQMAIN	0-999
Likert score on the GHQ-12	GHQLIK	0-999
GHQ-12 score on the GHQ-12	GHQGHQ	0-999

**WEIGHTS**

Weights

Person weight (needs dividing by 10,000)	WEIGHT	1-99999999
--	--------	------------

## AGGREGATED VARIABLES .....

For reasons of confidentiality and/or statistical integrity the detail available for the following items on the SMHWB data file has been reduced to the categories shown.

DATA ITEMS	AGGREGATIONS	DATA ITEMS	AGGREGATIONS
<b>Geographic items</b>		<b>Person description</b> <i>continued</i>	
SEIFA—index of relative socio-economic disadvantage	First decile Second decile Third decile Fourth decile Fifth decile Sixth decile Seventh decile Eighth decile Ninth and tenth decile	Age	Single years 18–24 25–29 30–34 35–39 40–44 45–49 50–54 55–59 60–64 65–69 70–74 75 and over
Rural, remote and metropolitan areas classification	Capital city/other metropolitan Large/small rural centres Other rural areas	Number of children	0 1–5 (single numbers) 6 or more children
<b>Person description</b>			
Country of birth	Australia Main English-Speaking Countries All other	Age when only child born	Not applicable Less than 19 19–35 (single years) 36 years or more
Year of arrival	Not applicable 1980 or before 1981–85 1986–90 1991–95 1996 or later	Age when eldest child born	Not applicable Less than 19 19–35 (single years) 36 years or more
Number of times married/defacto	0 1–4 (single numbers) 5 or more marriages	Age when youngest child born	Not applicable Less than 19 19–35 (single years) 36 years or more



DATA ITEMS	AGGREGATIONS	DATA ITEMS	AGGREGATIONS
<b>Language</b>		<b>Labour force</b>	
Usual language spoken at home	Not applicable English Other language	Labour force status (derived item)	Employed full time Employed part time Unemployed short term Unemployed long term Not in labour force
<b>Education</b>		Usual hours worked each week in all jobs	Not applicable 1–14 hours 15–19 hours 20–24 hours 25–29 hours 30–34 hours 35–39 hours 40–49 hours 50 hours or more
Highest qualification	Bachelor degree or higher Undergraduate diploma Associate diploma Skilled vocational qualification Basic vocational qualification Inadequate description No higher qualification Not stated	Occupation	Not applicable Managers/administrators Professionals Para-professionals Tradespersons Clerks Salespersons/personal care workers Labourers and related workers Plant and machine operators/drivers Not stated
<b>Income</b>			
Main source of income	Not applicable Wage or salary Government pension, allowance or benefit Child support Superannuation/annuity Own business or share in partnership Rental investment Dividends or interest Other		
<b>Dwelling details</b>		Length of unemployment	Not applicable 1–4 weeks 5–8 weeks 9–12 weeks 13–26 weeks 27–52 weeks 53 weeks or more
Tenure type	Owner Purchaser Renter Other		

DATA ITEMS	AGGREGATIONS
<b>Household description</b>	
Household type	Person living alone
	Married/de facto couple only
	Married/de facto couple living only with their unmarried child(ren) aged 15 or over
	Married/de facto couple living only with their child(ren) aged 0-14 only
	Married/de facto couple living only with their child(ren) aged 0-14 and their unmarried child(ren) aged 15 or over
	One person living only with his/her unmarried children aged 15 or over
	One person living only with his/her children aged 0-14
	One person living only with his/her children aged 0-14 and his/her unmarried child(ren) aged 15 or over
	Other family households All other households
Number of persons in household	1-7 (single numbers)
	8 or more persons
Number of children in household	0
	1-4 (single numbers)
	5 or more
Number of elderly in household	0
	1-3 (single numbers)
	4 or more
Number of males in household	0
	1-4 (single numbers)
	5 or more
Number of females in household	0
	1-4 (single numbers)
	5 or more

DATA ITEMS	AGGREGATIONS
<b>SF-12—service utilisation and days out of role</b>	
SF-12 : doctor consultations	0
	1-9 (single visits)
	10 or more visits
SF-12 : total days out of role	0
	1-7 (single days)
	8-14 days
	15-21 days
	22-28 days
SF-12 : partial days out of role	0
	1-7 (single days)
	8-14 days
	15-21 days
	22-28 days





DATA ITEMS	AGGREGATIONS	DATA ITEMS	AGGREGATIONS
<b>Amount and type of drug use</b>		<b>Hospital admissions</b>	
Drugs : marijuana— duration	0 Less than 1 year 1 year or more	Hospital : times in general hospital for physical condition	Not applicable 1–5 (single admissions) 6 or more admissions
Drugs : stimulants— duration	0 Less than 1 year 1 year or more	Hospital : nights in general hospital for physical condition	Not applicable 1–28 (single nights) 29 or more nights
Drugs : sedatives— duration	0 Less than 1 year 1 year or more	Hospital : times in general hospital for mental problem	Not applicable 1–5 (single admissions) 6 or more admissions
Drugs : opioids— duration	0 Less than 1 year 1 year or more	Hospital : nights in general hospital for mental problem	Not applicable 1–28 (single nights) 29 or more nights
<b>Drugs—service utilisation and days out of role</b>			
Drugs : doctor consultancies	0 1 consultation 2 or more consultations	Hospital : times in psychiatric hospital	Not applicable 1–5 (single admissions) 6 or more admissions
Drugs : total days out of role	0 1 day 2 or more days	Hospital : nights in psychiatric hospital	Not applicable 1–28 (single nights) 29 or more nights
Drugs : partial days out of role	0 1 day 2 or more days	Hospital : times in drug and alcohol unit in a hospital	Not applicable 1–5 (single admissions) 6 or more admissions
<b>Personality—service utilisation and days out of role</b>			
Personality : doctor consultancies	0 1 day 2 or more days	Hospital : nights in drug and alcohol unit in a hospital	Not applicable 1–28 (single nights) 29 or more nights
Personality : total days out of role	0 1 day 2 or more days		
Personality : partial days out of role	0 1 day 2 or more days		

DATA ITEMS                      AGGREGATIONS

**Health professional consultations**

Professional : times  
  general practitioner      0  
   1-15 (single visits)  
   16-20 visits  
   21-25 visits  
   26-30 visits  
   31 or more visits  
   Don't know

Professional : times  
  general practitioner  
  for mental problem      0  
   1-10 (single visits)  
   11-15 visits  
   16-20 visits  
   21 or more visits  
   Don't know

Professional : times  
  radiologist                      0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  radiologist for  
  mental problem              0  
   1 visit  
   2 or more visits

Professional : times  
  pathologist                      0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  pathologist for  
  mental problem              0  
   1 visit  
   2 or more visits

Professional : times  
  physician or other  
  medical specialist          0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

DATA ITEMS                      AGGREGATIONS

**Health professional consultations *continued***

Professional : times              0  
  physician or other  
  medical specialist  
  for mental problem      1 visit  
   2 or more visits

Professional : times  
  surgical specialist or  
  gynaecologist              0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  surgical specialist or  
  gynaecologist for  
  mental problem              0  
   1 visit  
   2 or more visits

Professional : times  
  psychiatrist                      0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  psychiatrist for  
  mental problem              0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  psychologist                      0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
  psychologist for  
  mental problem              0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

DATA ITEMS                      AGGREGATIONS

.....

**Health professional consultations** *continued*

Professional : times  
social worker or  
welfare officer            0  
   1-5 (single visits)  
   6 or more visits  
   Don't know

Professional : times  
social worker or  
welfare officer for  
mental problem            0  
   1-5 (single visits)  
   6 or more visits  
   Don't know

Professional : times  
drug and alcohol  
counsellor                    0  
   1 visit  
   2 or more visits

Professional : times  
drug and alcohol  
counsellor for  
mental problem            0  
   1 visit  
   2 or more visits

Professional : times  
other counsellor            0  
   1-5 (single visits)  
   6 or more visits  
   Don't know

Professional : times  
other counsellor for  
mental problem            0  
   1-5 (single visits)  
   6 or more visits

Professional : times  
nurse                            0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
nurse for mental  
problem                      0  
   1 visit  
   2 or more visits

DATA ITEMS                      AGGREGATIONS

.....

**Health professional consultations** *continued*

Professional : times  
mental health team        0  
   1 visit  
   2 or more visits

Professional : times  
mental health team  
for mental problem        0  
   1 visit  
   2 or more visits

Professional : times  
chemist                        0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
chemist for mental  
problem                        0  
   1 visit  
   2 or more visits

Professional : times  
ambulance                    0  
   1 visit  
   2 or more visits

Professional : times  
ambulance for  
mental problem            0  
   1 visit  
   2 or more visits

Professional : times  
other professional        0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

Professional : times  
other professional  
for mental problem        0  
   1-5 (single visits)  
   6-10 visits  
   11 or more visits  
   Don't know

## CONDITIONS OF SALE .....

1997 NATIONAL SURVEY OF MENTAL HEALTH AND WELLBEING OF ADULTS — CONFIDENTIALISED UNIT RECORD FILE

### Interpretation

- 'ABS' means the Australian Bureau of Statistics;
- 'Information' means 1997 National Survey of Mental Health and Wellbeing of Adults Confidentialised Unit Record File (CURF);
- 'Commercialise', in respect of the Information or a product derived from the Information, means to manufacture, sell, distribute, hire or otherwise exploit a product or process, or to provide a service, incorporating the Information or any other product or service derived from the Information, or to license a third party to do any of the above;
- 'Purchaser' means any individual or organisation granted access to the CURF;
- 'License Fee' means \$7,500;
- 'Statistical Purposes' means use by the Purchaser to produce Information of a statistical nature. Examples of such uses are:
  - the manipulation of the Information to produce means, correlations or other descriptive or summary measures;
  - the estimation of population characteristics from the Information;
  - the use of the Information as input to mathematical models and for other types of analyses (e.g. factor analysis); and
  - to provide graphical or pictorial representations of characteristics of the population or subsets of the population.

### Permitted uses

- The ABS grants the Purchaser a non-transferable, non-exclusive licence to use the Information on the terms and conditions set out in the associated Undertaking.
- The Purchaser is permitted to:
  - use the Information within, and for the purposes of, their organisation only;
  - use the Information for Statistical Purposes only;
  - make a back-up copy of the Information to be labelled with the same copyright notice as the Information and to be used by their organisation only; and
  - produce hard copies and computer files from the Information for use within their organisation.
- The Purchaser must treat the Information as private and confidential to the ABS and must take all reasonable measures to protect the Information from unauthorised use, replication, distribution or publication.



Uses not permitted

- The Purchaser may not make copies of, or use, the Information, except as permitted by these Conditions of Sale.
- the Purchaser may not alter, decompile, disassemble or otherwise dispose of the Information.
- The Purchaser may not rent, lease, sub-license, lend, sell, assign or transfer the Information to a third party.

Legislative restraints

- The release of this Information to the Purchaser is subject to a Ministerial Determination made under the *Census and Statistics Act 1905*. The ABS requires the Purchaser to undertake that in using the Information the Purchaser will:
  - not attempt to identify particular persons or organisations;
  - not attempt to match the Information with administrative lists of persons or organisations;
  - use the Information only for statistical purposes; and
  - not disclose either directly or indirectly the Information to any other person or organisation.
- In accordance with the Undertaking, the Purchaser may not Commercialise the Information or any product or service incorporating that Information (whether or not amounting to a reproduction within the meaning of the *Copyright Act 1968*). The Commercialisation of products or services derived from the Information may only be carried out with the prior written agreement of the ABS. Any queries should be directed to the Manager, Secondary Distribution, on Canberra 02 6252 6998.

Breaches of these conditions

- In our sole opinion, if the Purchaser has failed to comply with any of the Conditions of Sale, the ABS by notice in writing will demand return, from the Purchaser, of all copies of the Information in their possession, power or control. The ABS may request that the Purchaser certify that they have done so. The Purchaser may also be guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding two years, or both (see Legislative Authority, pp. 53–54).

Delivery

- If the request to purchase meets the approval of the Australian Statistician the Purchaser will be sent an invoice for payment for the CURF. The ABS will despatch the CURF to the Purchaser, at the address nominated, within seven working days of receipt of payment.

Intellectual property right

- The Purchaser acknowledges that the intellectual property right, including copyright, in the Information is owned by the Commonwealth of Australia, represented by the ABS.
- Copyright notices appearing on the CURF, or on material displayed or printed from the file, shall not be removed.

Limitation of liability

- The ABS gives no warranty, other than a warranty that may be implied by law, that the file is free from errors, is complete, has any particular quality, is suitable for any purpose or otherwise.
- Subject to any warranty which may be implied by law, our liability to the Purchaser for any loss, damage or injury howsoever caused by the ABS, whether due to negligence or otherwise, in relation to the Information shall be limited to providing a replacement copy of the Information.
- The Purchaser agrees to indemnify the ABS (and our servants and agents) in respect of all liability for loss (including all legal costs), or liability from any claim, suit, demand, action or proceeding brought by any third person in connection with this Condition of Sale or from their use of the Information.
- These limitations of liability provisions shall survive the expiration or earlier termination of any agreement with the Purchaser.

## LEGISLATIVE AUTHORITY .....

Subsection 13(1) of the *Census and Statistics Act 1905* ('the Act') provides for the Minister administering the Act to make determinations allowing, with the approval in writing of the Australian Statistician ('the Statistician'), the disclosure of a specified class of information.

On 16 February 1983, the Minister of State for Veterans' Affairs, acting for and on behalf of the Treasurer (the latter being the Minister at that time administering the Act), made such a determination ('the Determination'), being No. 19 of the Statutory Rules 1983.

The relevant parts of the Act and the Determination are reproduced below.

### SUBSECTIONS 13(1), 13(2) AND 13(3), *CENSUS AND STATISTICS ACT 1905*

#### Release of information

13(1) Notwithstanding anything in this Act (other than this section), the Minister may, by instrument in writing, make determinations providing for and in relation to the disclosure, with the approval in writing of the Statistician, of information included in a specified class of information furnished in pursuance of this Act.

13(2) Without limiting the generality of subsection (1), determinations may make provision—

- (a) as to the person to whom the information may be disclosed;
- (b) as to the persons, being the persons from whom the information has been obtained, whose consent is required for the disclosure of the information; and
- (c) specifying terms and conditions subject to which the information may be disclosed, including, but without limiting the generality of the foregoing, terms and conditions as to the requiring of a person to whom the information is, or is to be, disclosed to give an undertaking, in writing with respect to the disclosure of the information by that person, including an undertaking not to disclose any of the information to any person.

13(3) Information of a personal or domestic nature relating to a person shall not be disclosed in accordance with a determination in a manner that is likely to enable the identification of that person.

### SUBSECTIONS 19(1) AND 19(2), *CENSUS AND STATISTICS ACT 1905*

19(1) A person who is, or has been, the Statistician or an officer shall not, except—

- (a) in accordance with a determination; or
- (b) for the purposes of this Act,

either directly or indirectly, divulge or communicate any information furnished in pursuance of this Act to any person (other than the person from whom the information was obtained).

SUBSECTIONS 19(1) AND 19(2), *CENSUS AND STATISTICS ACT 1905 continued*

19(2) A person who contravenes subsection (1) or fails to comply with an undertaking of the kind referred to in paragraph 13(2)(c) given by the person in relation to information disclosed to the person in accordance with a determination is guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding 2 years, or both.

## CLAUSE 7 OF THE STATISTICS DETERMINATION (STATUTORY RULES 1983, NO. 19)

7(1) Information in the form of individual statistical records may, with the approval in writing of the Statistician, be disclosed where—

- (a) all identifying information such as name and address has been removed;
- (b) the information is disclosed in a manner that is not likely to enable the identification of the particular person or organisation to which it relates; and
- (c) the Statistician has been given a relevant undertaking for the purposes of this clause.

7(2) A reference in paragraph (1)(c) to a relevant undertaking shall be read as a reference to an undertaking in writing by—

- (a) in the case of information to be disclosed to a person, being an individual — that person;
- (b) in the case of information to be disclosed to an official body — the responsible Minister in relation to, or a responsible officer of, that official body; or
- (c) in the case of information to be disclosed to an organisation other than an official body — a responsible officer of that organisation,

that use of the information will be subject to the following terms and conditions:

- (d) no attempt will be made to identify particular persons or organisations;
- (e) the information will be used only for statistical purposes;
- (f) the information will not be disclosed to any other person or organisation;
- (g) if the Statistician considers it necessary in a particular case — either or both of the following
  - (i) that the information, and all copies (if any) of the information, will be returned to the Statistician as soon as the statistical purposes for which it was disclosed has been achieved;
  - (ii) that access by officers to information, documents or premises will be given as may be necessary for the purpose of conducting a compliance audit concerning observance of the terms and conditions under which the information is disclosed; and
- (h) any other condition that, in the opinion of the Statistician, is reasonably necessary in a particular case.

**1997 NATIONAL SURVEY OF MENTAL  
HEALTH AND WELLBEING OF ADULTS :  
CONFIDENTIALISED UNIT RECORD FILE  
ORDER FORM .....**

The CURF is released under strict conditions. Prospective purchasers are required to sign the accompanying Undertaking, which specifies the conditions under which the Information is provided and the uses to which it may be put. The signed Undertaking must be returned with this Order Form before the file can be considered by the Australian Statistician for release and delivery.

*Please send your completed and signed forms (i.e. the Order Form and Undertaking) to:*

ABS ADDRESS

Director  
Health Section (W31c)  
Australian Bureau of Statistics  
PO Box 10  
BELCONNEN ACT 2616

PRICE

The price for the 1997 SMHWP CURF is \$7,500 and includes domestic postage and handling.

PAYMENT

The ABS will send an invoice when your request for the CURF has been approved.

CLIENT DETAILS

Whom should we send your order to? *(please print)*

Name .....

Position .....

Organisation .....

Address .....

.....

Postcode .....

Telephone no. (.....).....

Facsimile no. (.....) .....

Email address .....

DELIVERY OPTIONS

- ABS to courier the order to the above address
- ABS to telephone you to arrange collection
- Collect in person from ABS Reception:  
Wing 5, Chandler Street, Cameron Offices, Belconnen, ACT.

TECHNICAL CONTACT

If the ABS has any queries about your order, whom should we contact?

Name.....

Position.....

Telephone no. (.....) .....

Facsimile no. (.....) .....

Email address .....

PLEASE INDICATE YOUR MEDIA PREFERENCE:

- CD-ROM (Product number 4329.0.30.001)
- Other *Specify required media*.....

I HAVE SIGNED THE UNDERTAKING, AND HAVE READ AND AGREE TO BE BOUND BY THE CONDITIONS OF SALE

Signature.....

Dated this .....day of.....19.....

ABS CONTACT DETAILS

Contact officer	Gary Sutton
Telephone number	02 6252 7318
Email address	gary.sutton@abs.gov.au
Project number	435

**THE UNDERTAKING** .....

UNDERTAKING MADE IN PURSUANCE OF

CLAUSE 7 OF THE STATISTICS DETERMINATION UNDER THE *CENSUS AND STATISTICS ACT 1905*

Whereas

A. Subsection 13(1) of the *Census and Statistics Act 1905* provides for the Minister, by instrument in writing, to make determinations providing for and in relation to the disclosure, with the approval in writing of the Australian Statistician, of information included in a specified class of information furnished in pursuance of the Act;

B. Clause 7 of the Statistics Determination permits the Australian Statistician to approve the release of unidentified individual statistical records where the information is disclosed in a manner which is not likely to enable identification of the particular person or organisation to which it relates, subject to the Statistician being given an appropriate written undertaking as specified in sub-clauses 7(1) and (2) of the Statistics Determination; and

C. An undertaking may be given by the responsible Minister in relation to, or a responsible officer of, the

.....  
*Name of department or organisation*

NOW I,.....  
*Full name and position*

in the.....  
*Name of department or organisation*

HEREBY UNDERTAKE that the.....  
*Name of department or organisation*

in using the information specified in the Schedule to this undertaking, will:

- not attempt to identify particular persons or organisations; and
- not attempt to match the information with administrative lists of persons or organisations; and
- use the information only for statistical purposes; and
- not disclose either directly or indirectly the information to any other person or organisation.

.....*continued*

UNDERTAKING MADE IN PURSUANCE OF

CLAUSE 7 OF THE STATISTICS DETERMINATION UNDER THE *CENSUS AND STATISTICS ACT 1905 continued*

In providing this undertaking I understand and accept on behalf of the

.....

*Name of department or organisation*

that Subsection 19(2) of the *Census and Statistics Act 1905* provides that a person who fails to comply with an undertaking is guilty of an indictable offence punishable on conviction by a fine not exceeding \$5,000 or imprisonment for a period not exceeding 2 years, or both.

Dated this .....day of.....19.....

Signature.....

Witnessed by.....

Name of witness.....

Designation of witness.....

Schedule

1997 NATIONAL SURVEY OF MENTAL HEALTH AND WELLBEING OF ADULTS

A file of unidentified individual statistical records containing information on 10,641 persons including: geographical information; household type; age; sex; marital status; birthplace; year of arrival in Australia; labour force characteristics; education characteristics; general measures of mental health and wellbeing; physical conditions; disability; health service utilisation and perceived need for help. Detailed information is provided on specific symptoms and behaviours required to enable the diagnosis of neurasthenia; anxiety disorders; depressive disorders; dysthymic disorders; manic and bipolar affective disorders; obsessive-compulsive disorder; post-traumatic stress disorder; and substance or alcohol dependence or harmful use according to the Composite International Diagnostic Interview (CIDI). Additional information is provided on organic mental disorders and from screening questions for psychosis and personality disorders. CIDI mental disorder diagnostic information is provided in accordance with both the International Classification of Diseases—10th revision and Diagnostic and Statistical Manual of Mental Disorders—fourth edition classifications.



**SELF-HELP ACCESS TO STATISTICS**

- PHONE* Call 1900 986 400 for the latest statistics on CPI, Labour Force, Earnings, National Accounts, Balance of Payments and other topics. (Call cost is 75c per minute)
- INTERNET* <http://www.abs.gov.au>
- LIBRARY* A range of ABS publications is available from public and tertiary libraries Australia wide. Contact your nearest library to determine whether it has the ABS statistics you require.

**WHY NOT SUBSCRIBE?**

- PHONE* +61 1300 366 323
- FAX* +61 3 9615 7848

**CONTACTING THE ABS**

ABS provides a range of services, including: a telephone inquiry service; information consultancy tailored to your needs; survey, sample and questionnaire design; survey evaluation and methodological reviews; and statistical training.

<i>INQUIRIES</i>	<i>By phone</i>	<i>By fax</i>
Canberra	02 6252 6627	02 6253 1404
Sydney	02 9268 4611	02 9268 4668
Melbourne	03 9615 7755	03 9615 7798
Brisbane	07 3222 6351	07 3222 6283
Perth	08 9360 5140	08 9360 5955
Adelaide	08 8237 7400	08 8237 7566
Hobart	03 6222 5800	03 6222 5995
Darwin	08 8943 2111	08 8981 1218

*POST* Client Services, ABS, PO Box 10, Belconnen, ACT 2616

*EMAIL* [client.services@abs.gov.au](mailto:client.services@abs.gov.au)



2432900001975  
 ISBN 0 642 25743 4

**RRP \$10.00**