


Area of intercropping undertaken by Natural Resource Management Regions



Hectares


- 40,000 or more
- 20,000 to 40,000
- 10,000 to 20,000
- 1,000 to 10,000
- Up to 1,000

0 1000
Kilometres


Based on Natural Resource Management Regions (NRM)
NRM boundaries supplied by Department of Environment
Source: 2014-15 REAC Survey
© Commonwealth of Australia, 2016

Percentage of agricultural land reported as improved pasture for grazing

by Natural Resource Management Regions




Percent



0 1000
Kilometres

Based on Natural Resource Management Regions (NRM)
NRM boundaries supplied by Department of Environment
Source: 2014-15 REAC Survey
© Commonwealth of Australia, 2016

Tonnes of soil enhancers applied by Natural Resource Management Regions



Tonnes applied


- 200,000 or more
- 100,000 to 200,000
- 50,000 to 100,000
- 2,000 to 50,000
- None

0 1000
Kilometres

Based on Natural Resource Management Regions (NRM)
NRM boundaries supplied by Department of Environment
Source: 2014-15 REAC Survey
© Commonwealth of Australia, 2016

Tonnes of fertiliser applied

by Natural Resource Management Regions



Tonnes applied

- 150,000 or more
- 100,000 to 150,000
- 50,000 to 100,000
- 90 to 50,000
- None

0 1000
Kilometres

Based on Natural Resource Management Regions (NRM)
NRM boundaries supplied by Department of Environment
Source: 2014-15 REAC Survey
© Commonwealth of Australia, 2016